AEROSPACE MEDICINE AND BIOLOGY

A CONTINUING BIBLIOGRAPHY WITH INDEXES



The NASA STI Program Office . . . in Profile

Since its founding, NASA has been dedicated to the advancement of aeronautics and space science. The NASA Scientific and Technical Information (STI) Program Office plays a key part in helping NASA maintain this important role.

The NASA STI Program Office is operated by Langley Research Center, the lead center for NASA's scientific and technical information. The NASA STI Program Office provides access to the NASA STI Database, the largest collection of aeronautical and space science STI in the world. The Program Office is also NASA's institutional mechanism for disseminating the results of its research and development activities. These results are published by NASA in the NASA STI Report Series, which includes the following report types:

- TECHNICAL PUBLICATION. Reports of completed research or a major significant phase of research that present the results of NASA programs and include extensive data or theoretical analysis. Includes compilations of significant scientific and technical data and information deemed to be of continuing reference value. NASA's counterpart of peerreviewed formal professional papers but has less stringent limitations on manuscript length and extent of graphic presentations.
- TECHNICAL MEMORANDUM. Scientific and technical findings that are preliminary or of specialized interest, e.g., quick release reports, working papers, and bibliographies that contain minimal annotation. Does not contain extensive analysis.
- CONTRACTOR REPORT. Scientific and technical findings by NASA-sponsored contractors and grantees.

- CONFERENCE PUBLICATION. Collected papers from scientific and technical conferences, symposia, seminars, or other meetings sponsored or cosponsored by NASA.
- SPECIAL PUBLICATION. Scientific, technical, or historical information from NASA programs, projects, and missions, often concerned with subjects having substantial public interest.
- TECHNICAL TRANSLATION.
 English-language translations of foreign scientific and technical material pertinent to NASA's mission.

Specialized services that complement the STI Program Office's diverse offerings include creating custom thesauri, building customized databases, organizing and publishing research results . . . even providing videos.

For more information about the NASA STI Program Office, see the following:

- Access the NASA STI Program Home Page at http://www.sti.nasa.gov
- E-mail your question via the Internet to help@sti.nasa.gov
- Fax your question to the NASA STI Help Desk at (301) 621-0134
- Telephone the NASA STI Help Desk at (301) 621-0390
- Write to: NASA STI Help Desk NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320

Introduction

This supplemental issue of *Aerospace Medicine and Biology, A Continuing Bibliography with Indexes* (NASA/SP—2000-7011) lists reports, articles, and other documents recently announced in the NASA STI Database.

In its subject coverage, *Aerospace Medicine and Biology* concentrates on the biological, physiological, psychological, and environmental effects to which humans are subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects on biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. Applied research receives the most emphasis, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion.

Each entry in the publication consists of a standard bibliographic citation accompanied, in most cases, by an abstract.

The NASA CASI price code table, addresses of organizations, and document availability information are included before the abstract section.

Two indexes—subject and author are included after the abstract section.

SCAN Goes Electronic!

If you have electronic mail or if you can access the Internet, you can view biweekly issues of *SCAN* from your desktop absolutely free!

Electronic SCAN takes advantage of computer technology to inform you of the latest worldwide, aerospace-related, scientific and technical information that has been published.

No more waiting while the paper copy is printed and mailed to you. You can view *Electronic SCAN* the same day it is released—up to 191 topics to browse at your leisure. When you locate a publication of interest, you can print the announcement. You can also go back to the *Electronic SCAN* home page and follow the ordering instructions to quickly receive the full document.

Start your access to *Electronic SCAN* today. Over 1,000 announcements of new reports, books, conference proceedings, journal articles...and more—available to your computer every two weeks.

Timely Flexible Complete FREE!

For Internet access to *E-SCAN*, use any of the following addresses:

http://www.sti.nasa.gov

ftp.sti.nasa.gov gopher.sti.nasa.gov

To receive a free subscription, send e-mail for complete information about the service first. Enter **scan@sti.nasa.gov** on the address line. Leave the subject and message areas blank and send. You will receive a reply in minutes.

Then simply determine the SCAN topics you wish to receive and send a second e-mail to **listserv@sti.nasa.gov**. Leave the subject line blank and enter a subscribe command, denoting which topic you want and your name in the message area, formatted as follows:

Subscribe SCAN-02-01 Jane Doe

For additional information, e-mail a message to **help@sti.nasa.gov**.

Phone: (301) 621-0390

Fax: (301) 621-0134

Write: NASA STI Help Desk

NASA Center for AeroSpace Information

7121 Standard Drive Hanover, MD 21076-1320

Looking just for *Aerospace Medicine and Biology* reports?

Although hard copy distribution has been discontinued, you can still receive these vital announcements through your *E-SCAN* subscription. Just **Subscribe SCAN-AEROMED Jane Doe** in the message area of your e-mail to **listserv@sti.nasa.gov**.



Table of Contents

Records are arranged in categories 51 through 55, the Life Sciences division of STAR. Selecting a category will link you to the collection of records cited in this issue pertaining to that category.

51 Life Sciences (General)

*

Includes general research topics related to plant and animal biology (non-human); ecology; microbiology; and also the origin, development, structure, and maintenance, of animals and plants in space and related environmental conditions. For specific topics in life sciences see categories 52 through 55.

52 Aerospace Medicine

APPLE .

Includes the biological and physiological effects of atmospheric and space flight (weightlessness, space radiation, acceleration, and altitude stress) on the human being; and the prevention of adverse effects on those environments. For psychological and behavioral effects of aerospace environments see 53 Behavioral Sciences. For the effects of space on animals and plants see 51 Life Sciences.

Behavioral Sciences 53

11

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

54 Man/System Technology and Life Support

13

Includes human factors engineering; bionics, man-machine, life support, space suits and protective clothing. For related information 52 Aerospace Medicine.

55 Exobiology

15

Includes astrobiology; planetary biology; and extraterrestrial life. For the biological effects of aerospace environments on humans see 52 Aerospace Medicine; on animals and plants see 51 Life Sciences. For psychological and behavioral effects of aerospace environments see 53 Behavioral Sciences.

Indexes

Two indexes are available. You may use the find command under the tools menu while viewing the PDF file for direct match searching on any text string. You may also view the indexes provided, for searching on NASA Thesaurus subject terms and author names.

Subject Term Index **Author Index**

ST-1

PA-1

Selecting an index above will link you to that comprehensive listing.

Document Availability

Select Availability Into for important information about NASA Scientific and Technical Information (STI) Program Office products and services, including registration with the NASA Center for AeroSpace Information (CASI) for access to the NASA CASI TRS (Technical Report Server), and availability and pricing information for cited documents.

The New NASA Video Catalog is Here

To order your copy, call the NASA STI Help Desk at (301) 621-0390,

fax to

(301) 621-0134,

e-mail to

help@sti.nasa.gov, or visit the NASA STI Program homepage at

http://www.sti.nasa.gov

(Select STI Program Bibliographic Announcements)

Explore the Universe!

Document Availability Information

The mission of the NASA Scientific and Technical (STI) Program Office is to quickly, efficiently, and cost-effectively provide the NASA community with desktop access to STI produced by NASA and the world's aerospace industry and academia. In addition, we will provide the aerospace industry, academia, and the taxpayer access to the intellectual scientific and technical output and achievements of NASA.

Eligibility and Registration for NASA STI Products and Services

The NASA STI Program offers a wide variety of products and services to achieve its mission. Your affiliation with NASA determines the level and type of services provided by the NASA STI Program. To assure that appropriate level of services are provided, NASA STI users are requested to register at the NASA Center for AeroSpace Information (CASI). Please contact NASA CASI in one of the following ways:

E-mail: help@sti.nasa.gov Fax: 301-621-0134 Phone: 301-621-0390

Mail: ATTN: Registration Services

NASA Center for AeroSpace Information

7121 Standard Drive Hanover, MD 21076-1320

Limited Reproducibility

In the database citations, a note of limited reproducibility appears if there are factors affecting the reproducibility of more than 20 percent of the document. These factors include faint or broken type, color photographs, black and white photographs, foldouts, dot matrix print, or some other factor that limits the reproducibility of the document. This notation also appears on the microfiche header.

NASA Patents and Patent Applications

Patents owned by NASA are announced in the STI Database. Printed copies of patents (which are not microfiched) are available for purchase from the U.S. Patent and Trademark Office.

When ordering patents, the U.S. Patent Number should be used, and payment must be remitted in advance, by money order or check payable to the Commissioner of Patents and Trademarks. Prepaid purchase coupons for ordering are also available from the U.S. Patent and Trademark Office.

Patents and patent applications owned by NASA are available for licensing. Requests for licensing terms and further information should be addressed to:

National Aeronautics and Space Administration Associate General Counsel for Intellectual Property Code GP Washington, DC 20546-0001

Sources for Documents

One or more sources from which a document announced in the STI Database is available to the public is ordinarily given on the last line of the citation. The most commonly indicated sources and their acronyms or abbreviations are listed below, with an Addresses of Organizations list near the back of this section. If the publication is available from a source other than those listed, the publisher and his address will be displayed on the availability line or in combination with the corporate source.

Avail: NASA CASI. Sold by the NASA Center for AeroSpace Information. Prices for hard copy (HC) and microfiche (MF) are indicated by a price code following the letters HC or MF in the citation. Current values are given in the NASA CASI Price Code Table near the end of this section.

Note on Ordering Documents: When ordering publications from NASA CASI, use the document ID number or other report number. It is also advisable to cite the title and other bibliographic identification.

- Avail: SOD (or GPO). Sold by the Superintendent of Documents, U.S. Government Printing Office, in hard copy.
- Avail: BLL (formerly NLL): British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England. Photocopies available from this organization at the price shown. (If none is given, inquiry should be addressed to the BLL.)
- Avail: DOE Depository Libraries. Organizations in U.S. cities and abroad that maintain collections of Department of Energy reports, usually in microfiche form, are listed in Energy Research Abstracts. Services available from the DOE and its depositories are described in a booklet, *DOE Technical Information Center—Its Functions and Services* (TID-4660), which may be obtained without charge from the DOE Technical Information Center.
- Avail: ESDU. Pricing information on specific data, computer programs, and details on ESDU International topic categories can be obtained from ESDU International.
- Avail: Fachinformationszentrum Karlsruhe. Gesellschaft für wissenschaftlich-technische Information mbH 76344 Eggenstein-Leopoldshafen, Germany.
- Avail: HMSO. Publications of Her Majesty's Stationery Office are sold in the U.S. by Pendragon House, Inc. (PHI), Redwood City, CA. The U.S. price (including a service and mailing charge) is given, or a conversion table may be obtained from PHI.
- Avail: Issuing Activity, or Corporate Author, or no indication of availability. Inquiries as to the availability of these documents should be addressed to the organization shown in the citation as the corporate author of the document.

- Avail: NASA Public Document Rooms. Documents so indicated may be examined at or purchased from the National Aeronautics and Space Administration (JBD-4), Public Documents Room (Room 1H23), Washington, DC 20546-0001, or public document rooms located at NASA installations, and the NASA Pasadena Office at the Jet Propulsion Laboratory.
- Avail: NTIS. Sold by the National Technical Information Service. Initially distributed microfiche under the NTIS SRIM (Selected Research in Microfiche) are available. For information concerning this service, consult the NTIS Subscription Section, Springfield, VA 22161.
- Avail: Univ. Microfilms. Documents so indicated are dissertations selected from Dissertation Abstracts and are sold by University Microfilms as xerographic copy (HC) and microfilm. All requests should cite the author and the Order Number as they appear in the citation.
- Avail: US Patent and Trademark Office. Sold by Commissioner of Patents and Trademarks, U.S. Patent and Trademark Office, at the standard price of \$1.50 each, postage free.
- Avail: (US Sales Only). These foreign documents are available to users within the United States from the National Technical Information Service (NTIS). They are available to users outside the United States through the International Nuclear Information Service (INIS) representative in their country, or by applying directly to the issuing organization.
- Avail: USGS. Originals of many reports from the U.S. Geological Survey, which may contain color illustrations, or otherwise may not have the quality of illustrations preserved in the microfiche or facsimile reproduction, may be examined by the public at the libraries of the USGS field offices whose addresses are listed on the Addresses of Organizations page. The libraries may be queried concerning the availability of specific documents and the possible utilization of local copying services, such as color reproduction.

Addresses of Organizations

British Library Lending Division Boston Spa, Wetherby, Yorkshire England

Commissioner of Patents and Trademarks U.S. Patent and Trademark Office Washington, DC 20231

Department of Energy Technical Information Center P.O. Box 62 Oak Ridge, TN 37830

European Space Agency— Information Retrieval Service ESRIN Via Galileo Galilei 00044 Frascati (Rome) Italy

ESDU International 27 Corsham Street London N1 6UA England

Fachinformationszentrum Karlsruhe
Gesellschaft für wissenschaftlich-technische
Information mbH
76344 Eggenstein-Leopoldshafen, Germany

Her Majesty's Stationery Office P.O. Box 569, S.E. 1 London, England

NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320

(NASA STI Lead Center)
National Aeronautics and Space Administration
Scientific and Technical Information Program Office
Langley Research Center – MS157
Hampton, VA 23681

National Technical Information Service 5285 Port Royal Road Springfield, VA 22161

Pendragon House, Inc. 899 Broadway Avenue Redwood City, CA 94063

Superintendent of Documents U.S. Government Printing Office Washington, DC 20402

University Microfilms A Xerox Company 300 North Zeeb Road Ann Arbor, MI 48106

University Microfilms, Ltd. Tylers Green London, England

U.S. Geological Survey Library National Center MS 950 12201 Sunrise Valley Drive Reston, VA 22092

U.S. Geological Survey Library 2255 North Gemini Drive Flagstaff, AZ 86001

U.S. Geological Survey 345 Middlefield Road Menlo Park, CA 94025

U.S. Geological Survey Library Box 25046 Denver Federal Center, MS914 Denver, CO 80225

H Code	ardcopy &		che Prices International*
A01	\$9.50	\$9.50	\$19.00
	77.7		
A02	\$13.50	\$14.50	\$29.00
A03	\$24.50	\$27.50	\$55.00
A04	\$27.00	\$30.50	\$61.00
A05	\$28.50	\$32.50	\$65.00
A06	\$31.00	\$35.50	\$71.00
A07	\$34.50	\$39.50	\$79.00
A08	\$37.50	\$43.00	\$86.00
A09	\$42.50	\$49.00	\$98.00
A10	\$45.50	\$53.00	\$106.00
A11	\$48.50	\$56.50	\$113.00
A12	\$52.50	\$61.00	\$122.00
A13	\$55.50	\$65.00	\$130.00
A14	\$57.50	\$67.00	\$134.00
A15	\$59.50	\$69.50	\$139.00
A16	\$61.50	\$72.00	\$144.00
A17	\$63.50	\$74.50	\$149.00
A18	\$67.00	\$78.50	\$157.00
A19	\$69.00	\$81.00	\$162.00
A20	\$71.00	\$83.50	\$167.00
A21	\$73.00	\$86.00	\$172.00
A22	\$78.50	\$92.50	\$185.00
A23	\$80.50	\$95.00	\$190.00
A24	\$82.50	\$97.00	\$194.00
A25	\$84.50	\$99.50	\$199.00
A99	Contact NAS		Ψ177.00
/		0.201	

Exception Prices							
Code	NASA		International*				
E01	\$102.50	\$121.00	\$242.00				
E02	\$111.00	\$131.50	\$263.00				
E03	\$120.50	\$143.00	\$286.00				
E04	\$130.00	\$154.00	\$308.00				
E05	\$139.50	\$165.50	\$331.00				
E06	\$148.00	\$176.00	\$352.00				
E07	\$157.50	\$187.00	\$374.00				
E08	\$167.00	\$198.50	\$397.00				
E09	\$175.50	\$209.00	\$418.00				
E10	\$185.00	\$220.00	\$440.00				
E11	\$194.50	\$231.50	\$463.00				
E12	\$202.50	\$241.00	\$482.00				
E13	\$212.00	\$252.50	\$505.00				
E14	\$221.50	\$264.00	\$528.00				
E15	\$231.00	\$275.50	\$551.00				
E16	\$239.50	\$285.50	\$571.00				
E17	\$249.00	\$297.00	\$594.00				
E18	\$258.50	\$308.50	\$617.00				
E19	\$267.00	\$318.50	\$637.00				
E20	\$276.50	\$330.00	\$660.00				
E21	\$286.00	\$341.50	\$683.00				
E22	\$294.50	\$351.50	\$703.00				
E23	\$304.00	\$363.00	\$726.00				
E24	\$313.50	\$374.50	\$749.00				
E99	Free	Free	Free				

NASA Prices:

For NASA employees and contractors registered at NASA CASI.

U.S. Prices: *Shipping fees extra

For users located within the U.S.

International Prices: *Shipping fees extra

For users outside the U.S. and international within the U.S. embassies

Service Fees

Shipping Fees: per item

\$1.50 U.S. \$9.00 International

Video Shipping Fees: per title

\$3.50 U.S. \$11.00 International

Express Service Surcharge: per item

One day CASI processing & shipped FedEX or Airmail.
*This charge is in addition to the shipping fee.

\$15.00 U.S. \$30.00 International

Fax Service Fees: per item up to 30 pages

\$16.50 U.S. \$24.00 International

	Video Prices (VHS)				
Code	NASA	U.S.*	International*		
V01	\$19.50	\$20.00	\$40.00		
V02	\$23.50	\$25.00	\$50.00		
V03	\$31.50	\$35.00	\$70.00		
V04	\$39.50	\$45.00	\$90.00		
V05	\$47.50	\$55.00	\$110.00		
V06	\$55.50	\$65.00	\$130.00		
V07	\$63.50	\$75.00	\$150.00		
V08	\$71.50	\$85.00	\$170.00		

Video Prices (Betacam SP) NTSC					
Code	NASA	U.S.*	International [*]		
B01	\$71.50	\$85.00	\$170.00		
B02	\$75.50	\$90.00	\$180.00		
B03	\$83.50	\$100.00	\$200.00		
B04	\$119.50	\$145.00	\$290.00		
B05	\$135.50	\$165.00	\$330.00		
B06	\$171.50	\$210.00	\$420.00		
B07	\$207.50	\$255.00	\$510.00		
B08	\$243.50	\$300.00	\$600.00		

Video Prices (Betacam SP) PAL					
Code	NASA	U.S.*	International		
B01	\$98.50	\$119.00	\$238.00		
B02	\$164.50	\$201.00	\$402.00		
В03	\$186.50	\$229.00	\$458.00		
B04	\$223.50	\$275.00	\$550.00		
B05	\$230.50	\$284.00	\$568.00		
B06	\$237.50	\$293.00	\$586.00		
B07	\$244.50	\$302.00	\$604.00		
B07	\$252.50	\$312.00	\$624.00		

CD-ROM Prices						
Code	NASA	U.S.*	International [*]			
C01	\$28.00	\$33.00	\$66.00			
C02	\$36.50	\$44.00	\$88.00			
C03	\$46.50	\$56.00	\$112.00			
C04	\$54.00	\$66.00	\$132.00			
C05	\$63.00	\$77.00	\$154.00			
C06	\$72.00	\$88.00	\$176.00			
C07	\$80.50	\$99.00	\$198.00			
C08	\$90.50	\$111.00	\$222.00			
C09	\$99.00	\$122.00	\$244.00			
C10	\$108.00	\$133.00	\$266.00			

NASA Prices:

For NASA employees and contractors registered at NASA CASI.

U.S. Prices: *Shipping fees extra

For users located within the U.S.

International Prices: *Shipping fees extra

For users outside the U.S. and international within the U.S. embassies

Service Fees

Shipping Fees: per item

\$1.50 U.S. \$9.00 International

Video Shipping Fees: per title

\$3.50 U.S. \$11.00 International

Express Service Surcharge: per item

One day CASI processing & shipped FedEX or Airmail.

*This charge is in addition to the shipping fee.

\$15.00 U.S. \$30.00 International

Fax Service Fees: per item up to 30 pages

\$16.50 U.S. \$24.00 International

Federal Depository Library Program

In order to provide the general public with greater access to U.S. Government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 53 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. At least one copy of nearly every NASA and NASA-sponsored publication, either in printed or microfiche format, is received and retained by the 53 regional depositories. A list of the Federal Regional Depository Libraries, arranged alphabetically by state, appears at the very end of this section. These libraries are not sales outlets. A local library can contact a regional depository to help locate specific reports, or direct contact may be made by an individual.

Public Collection of NASA Documents

An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. The British Library Lending Division also has available many of the non-NASA publications cited in the STI Database. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents FIZ–Fachinformation Karlsruhe–Bibliographic Service, D-76344 Eggenstein-Leopoldshafen, Germany and TIB–Technische Informationsbibliothek, P.O. Box 60 80, D-30080 Hannover, Germany.

Submitting Documents

All users of this abstract service are urged to forward reports to be considered for announcement in the STI Database. This will aid NASA in its efforts to provide the fullest possible coverage of all scientific and technical publications that might support aeronautics and space research and development. If you have prepared relevant reports (other than those you will transmit to NASA, DOD, or DOE through the usual contract- or grant-reporting channels), please send them for consideration to:

ATTN: Acquisitions Specialist NASA Center for AeroSpace Information 7121 Standard Drive Hanover, MD 21076-1320.

Reprints of journal articles, book chapters, and conference papers are also welcome.

You may specify a particular source to be included in a report announcement if you wish; otherwise the report will be placed on a public sale at the NASA Center for AeroSpace Information. Copyrighted publications will be announced but not distributed or sold.

Federal Regional Depository Libraries

ALABAMA AUBURN UNIV. AT MONTGOMERY LIBRARY

Documents Dept. 7300 University Dr. Montgomery, AL 36117–3596 (205) 244–3650 Fax: (205) 244–0678

UNIV. OF ALABAMA

Amelia Gayle Gorgas Library Govt. Documents P.O. Box 870266 Tuscaloosa, AL 35487-0266 (205) 348-6046 Fax: (205) 348-0760

ARIZONA DEPT. OF LIBRARY, ARCHIVES, AND PUBLIC RECORDS

Research Division Third Floor, State Capitol 1700 West Washington Phoenix, AZ 85007 (602) 542–3701 Fax: (602) 542–4400

ARKANSAS ARKANSAS STATE LIBRARY

State Library Service Section Documents Service Section One Capitol Mall Little Rock, AR 72201-1014 (501) 682–2053 Fax: (501) 682–1529

CALIFORNIA CALIFORNIA STATE LIBRARY

Govt. Publications Section P.O. Box 942837 - 914 Capitol Mall Sacramento, CA 94337-0091 (916) 654-0069 Fax: (916) 654-0241

COLORADO UNIV. OF COLORADO - BOULDER

Libraries - Govt. Publications Campus Box 184 Boulder, CO 80309-0184 (303) 492-8834 Fax: (303) 492-1881

DENVER PUBLIC LIBRARY

Govt. Publications Dept. BSG 1357 Broadway Denver, CO 80203-2165 (303) 640-8846 Fax: (303) 640-8817

CONNECTICUT CONNECTICUT STATE LIBRARY

231 Capitol Avenue Hartford, CT 06106 (203) 566-4971 Fax: (203) 566-3322

FLORIDA

UNIV. OF FLORIDA LIBRARIES

Documents Dept. 240 Library West Gainesville, FL 32611-2048 (904) 392-0366 Fax: (904) 392-7251

GEORGIA UNIV. OF GEORGIA LIBRARIES

Govt. Documents Dept. Jackson Street Athens, GA 30602-1645 (706) 542-8949 Fax: (706) 542-4144

HAWAII

UNIV. OF HAWAII Hamilton Library Govt. Documents Collection 2550 The Mall Honolulu, HI 96822 (808) 948–8230 Fax: (808) 956–5968

UNIV. OF IDAHO LIBRARY Documents Section

Rayburn Street Moscow, ID 83844-2353 (208) 885-6344 Fax: (208) 885-6817

ILLINOIS

ILLINOIS STATE LIBRARY Federal Documents Dept.

300 South Second Street Springfield, IL 62701-1796 (217) 782-7596 Fax: (217) 782-6437

INDIANA INDIANA STATE LIBRARY

Serials/Documents Section 140 North Senate Avenue Indianapolis, IN 46204-2296 (317) 232-3679 Fax: (317) 232-3728

UNIV. OF IOWA LIBRARIES
Govt. Publications

Washington & Madison Streets lowa City, IA 52242-1166 (319) 335-5926 Fax: (319) 335-5900

KANSAS

UNIV. OF KANSAS

Govt. Documents & Maps Library 6001 Malott Hall Lawrence, KS 66045-2800 (913) 864-4660 Fax: (913) 864-3855

UNIV. OF KENTUCKY

King Library South Govt. Publications/Maps Dept. Patterson Drive Lexington, KY 40506-0039 (606) 257-3139 Fax: (606) 257-3139

LOUISIANA LOUISIANA STATE UNIV.

Middleton Library Govt. Documents Dept Baton Rouge, LA 70803-3312 (504) 388-2570 Fax: (504) 388-6992

LOUISIANA TECHNICAL UNIV.

Prescott Memorial Library Govt. Documents Dept. Ruston, LA 71272-0046 (318) 257-4962 Fax: (318) 257-2447

MAINE

UNIV. OF MAINE

Raymond H. Fogler Library Govt. Documents Dept. Orono, ME 04469-5729 (207) 581-1673 Fax: (207) 581-1653

MARYLAND UNIV. OF MARYLAND - COLLEGE PARK

McKeldin Library Govt. Documents/Maps Unit College Park, MD 20742 (301) 405–9165 Fax: (301) 314–9416

MASSACHUSETTS BOSTON PUBLIC LIBRARY

Govt. Documents 666 Boylston Street Boston, MA 02117–0286 (617) 536–5400, ext. 226 Fax: (617) 536–7758

MICHIGAN

DETROIT PUBLIC LIBRARY

5201 Woodward Avenue Detroit, MI 48202-4093 (313) 833-1025 Fax: (313) 833-0156

LIBRARY OF MICHIGAN

Govt. Documents Unit P.O. Box 30007 717 West Allegan Street Lansing, MI 48909 (517) 373–1300 Fax: (517) 373–3381

MINNESOTA UNIV. OF MINNESOTA

Govt. Publications 409 Wilson Library 309 19th Avenue South Minneapolis, MN 55455 (612) 624-5073 Fax: (612) 626-9353

MISSISSIPPI UNIV. OF MISSISSIPPI

J.D. Williams Library 106 Old Gym Bldg. University, MS 38677 (601) 232–5857 Fax: (601) 232–7465

MISSOURI UNIV. OF MISSOURI – COLUMBIA

106B Ellis Library Govt. Documents Sect. Columbia, MO 65201-5149 (314) 882-6733 Fax: (314) 882-8044

MONTANA UNIV. OF MONTANA

Mansfield Library Documents Division Missoula, MT 59812-1195 (406) 243-6700 Fax: (406) 243-2060

NEBRASKA

UNIV. OF NEBRASKA – LINCOLN

D.L. Love Memorial Library Lincoln, NE 68588-0410 (402) 472-2562 Fax: (402) 472-5131

NEVADA THE UNIV. OF NEVADA LIBRARIES

Business and Govt. Information

Reno, NV 89557-0044 (702) 784-6579 Fax: (702) 784-1751

NEW JERSEY NEWARK PUBLIC LIBRARY

Science Div. - Public Access P.O. Box 630 Five Washington Street Newark, NJ 07101-7812 (201) 733-7782 Fax: (201) 733-5648

NEW MEXICO

UNIV. OF NEW MEXICO General Library Govt. Information Dept. Albuquerque, NM 87131-1466 (505) 277-5441 Fax: (505) 277-6019

NEW MEXICO STATE LIBRARY

325 Don Gaspar Avenue Santa Fe, NM 87503 (505) 827-3824 Fax: (505) 827-3888

NEW YORK NEW YORK STATE LIBRARY

Cultural Education Center Documents/Gift & Exchange Section Empire State Plaza Albany, NY 12230-0001 (518) 474-5355 Fax: (518) 474-5786

NORTH CAROLINA UNIV. OF NORTH CAROLINA – CHAPEL HILL

Walter Royal Davis Library CB 3912, Reference Dept. Chapel Hill, NC 27514-8890 (919) 962-1151 Fax: (919) 962-4451

NORTH DAKOTA NORTH DAKOTA STATE UNIV. LIB.

Documents P.O. Box 5599 Fargo, ND 58105-5599 (701) 237-8886 Fax: (701) 237-7138

UNIV. OF NORTH DAKOTA Chester Fritz Library

University Station P.O. Box 9000 - Centennial and University Avenue Grand Forks, ND 58202-9000 (701) 777-4632 Fax: (701) 777-3319

OHIO STATE LIBRARY OF OHIO

Documents Dept 65 South Front Street Columbus, OH 43215-4163 (614) 644-7051 Fax: (614) 752-9178

OKLAHOMA OKLAHOMA DEPT. OF LIBRARIES

U.S. Govt. Information Division 200 Northeast 18th Street Oklahoma City, OK 73105-3298 (405) 521-2502, ext. 253 Fax: (405) 525-7804

OKLAHOMA STATE UNIV.

Edmon Low Library Stillwater, OK 74078–0375 (405) 744–6546 Fax: (405) 744–5183

OREGON PORTLAND STATE UNIV. Branford P. Millar Library 934 Southwest Harrison Portland, OR 97207-1151 (503) 725-4123 Fax: (503) 725-4524

PENNSYLVANIA STATE LIBRARY OF PENN. Govt. Publications Section

116 Walnut & Commonwealth Ave. Harrisburg, PA 17105–1601 (717) 787–3752 Fax: (717) 783–2070

SOUTH CAROLINA CLEMSON UNIV.

Robert Muldrow Cooper Library
Public Documents Unit P.O. Box 343001

Clemson, SC 29634-3001 (803) 656-5174 Fax: (803) 656-3025

UNIV. OF SOUTH CAROLINA

Thomas Cooper Library Green and Sumter Streets Columbia, SC 29208 (803) 777-4841 Fax: (803) 777-9503

TENNESSEE

UNIV. OF MEMPHIS LIBRARIES Govt. Publications Dept. Memphis, TN 38152-0001 (901) 678-2206 Fax: (901) 678-2511

TEXAS STATE LIBRARY

United States Documents P.O. Box 12927 – 1201 Brazos Austin, TX 78701–0001 (512) 463-5455 Fax: (512) 463-5436

TEXAS TECH. UNIV. LIBRARIES

Documents Dept Lubbock, TX 79409-0002 (806) 742-2282 Fax: (806) 742-1920

UTAH UTAH STATE UNIV.

Merrill Library Documents Dept. Logan, UT 84322-3000 (801) 797-2678 Fax: (801) 797-2677

VIRGINIA UNIV. OF VIRGINIA

Alderman Library Govt. Documents University Ave. & McCormick Rd. Charlottesville, VA 22903-2498 (804) 824-3133 Fax: (804) 924-4337

WASHINGTON WASHINGTON STATE LIBRARY

Govt. Publications P.O. Box 42478 16th and Water Streets Olympia, WA 98504-2478 (206) 753-4027 Fax: (206) 586-7575

WEST VIRGINIA WEST VIRGINIA UNIV. LIBRARY Govt. Documents Section

P.O. Box 6069 - 1549 University Ave. Morgantown, WV 26506-6069 (304) 293-3051 Fax: (304) 293-6638

WISCONSIN ST. HIST. SOC. OF WISCONSIN LIBRARY

Govt. Publication Section 816 State Street Madison, WI 53706 (608) 264-6525 Fax: (608) 264-6520

MILWAUKEE PUBLIC LIBRARY

Documents Division 814 West Wisconsin Avenue Milwaukee, WI 53233 (414) 286-3073 Fax: (414) 286-8074

Typical Report Citation and Abstract

- 19970001126 NASA Langley Research Center, Hampton, VA USA
- Water Tunnel Flow Visualization Study Through Poststall of 12 Novel Planform Shapes
- 6 Gatlin, Gregory M., NASA Langley Research Center, USA Neuhart, Dan H., Lockheed Engineering and Sciences Co., USA;
- Mar. 1996; 130p; In English
- **6** Contract(s)/Grant(s): RTOP 505-68-70-04
- Report No(s): NASA-TM-4663; NAS 1.15:4663; L-17418; No Copyright; Avail: CASI; A07, Hardcopy; A02, Microfiche
 - To determine the flow field characteristics of 12 planform geometries, a flow visualization investigation was conducted in the Langley 16- by 24-Inch Water Tunnel. Concepts studied included flat plate representations of diamond wings, twin bodies, double wings, cutout wing configurations, and serrated forebodies. The off-surface flow patterns were identified by injecting colored dyes from the model surface into the free-stream flow. These dyes generally were injected so that the localized vortical flow patterns were visualized. Photographs were obtained for angles of attack ranging from 10' to 50', and all investigations were conducted at a test section speed of 0.25 ft per sec. Results from the investigation indicate that the formation of strong vortices on highly swept forebodies can improve poststall lift characteristics; however, the asymmetric bursting of these vortices could produce substantial control problems. A wing cutout was found to significantly alter the position of the forebody vortex on the wing by shifting the vortex inboard. Serrated forebodies were found to effectively generate multiple vortices over the configuration. Vortices from 65' swept forebody serrations tended to roll together, while vortices from 40' swept serrations were more effective in generating additional lift caused by their more independent nature.
- Author
- **9** Water Tunnel Tests; Flow Visualization; Flow Distribution; Free Flow; Planforms; Wing Profiles; Aerodynamic Configurations

Kev

- 1. Document ID Number; Corporate Source
- 2. Title
- 3. Author(s) and Affiliation(s)
- 4. Publication Date
- 5. Contract/Grant Number(s)
- 6. Report Number(s); Availability and Price Codes
- 7. Abstract
- 8. Abstract Author
- 9. Subject Terms

AEROSPACE MEDICINE AND BIOLOGY

A Continuing Bibliography (Suppl. 503)

AUGUST 2000

51 LIFE SCIENCES (GENERAL)

Includes general research topics related to plant and animal biology (non-human); ecology; microbiology; and also the origin, development, structure, and maintenance, of animals and plants in space and related environmental conditions. For specific topics in life sciences see categories 52 through 55.

20000070749 Arrowhead Space and Telecommunications, Inc., Falls Church, VA USA

Bus Driver Fatigue and Stress Issues Study Final Report

Dec. 08, 1999; 120p; In English

Contract(s)/Grant(s): DTGH61-99-Z-00027

Report No.(s): PB2000-106445; No Copyright; Avail: CASI; A02, Microfiche; A06, Hardcopy

Arrowhead Space and Telecommunications, Inc. conducted a research project to identify unique aspects of operations within the motorcoach industry which may produce bus driver fatigue and stress. Funding for and oversight of the study was provided by the Federal Highway Administration (FHWA), Office of Motor Carriers (OMC). The purpose of this study is to (1) identify from direct interaction with motorcoach owners, safety directors, operations managers, and drivers those fatigue-inducing stresses which they believe are unique to the motorcoach industry; (2) evaluate the relative influence of these stresses on bus driver fatigue; (3) provide relevant feedback to the FHWA/OMC for its use in future decisions which will affect the motorcoach industry; and (4) develop an outreach video to help motorcoach drivers understand the effects of fatigue, the stresses that induce it, and means to reduce it.

NTIS

Safety; Stress (Physiology); Fatigue (Biology); Human Performance

20000073285 Massachusetts Inst. of Tech., Dept. of Nuclear Engineering, Cambridge, MA USA

The Behavior of Uranium in the Environment: Bacterial Reduction of an Aqueous Uranium Species

Lewis, Matthew R.; Jun. 2000; 382p; In English

Report No.(s): AD-A377425; No Copyright; Avail: CASI; A17, Hardcopy; A03, Microfiche

Experimental and analytical studies were performed to investigate the behavior of uranium with bacteria in an anaerobic environment. Laboratory studies used Shewanella putrefaciens because of its ability to grow rapidly in aerobic conditions and reduce metals in anaerobic conditions. Under anaerobic conditions, Shewanella putrefaciens use aqueous uranium as the electron acceptor in lieu of oxygen. The reduction of U(VI) to U(IV) removes uranium from solution and forms an insoluble compound known as uranimite. Ultraviolet/Visible Spectroscopy was used to analyze uranium ion complexion with several oxazine dyes that included Brilliant Cresyl Blue, Celestine Blue, and Gallomine Triethoiodide. Complexion and resultant color changes with U(VI) and U(IV) with the dye solutions were tested at a variety of pH levels. The dye behavior was evaluated for future use as a visible reduction indicator for microbial reduction when performing direct plating experiments. These studies showed the best visual indicator to be Celestine Blue. Significant absorbance changes in the 400 to 800 nm wavelength range for Brilliant Cresyl Blue and Gallomine Triethoiodide solutions were not detected. X Ray Diffraction and Electron Microprobe Spectroscopy characterized the solid precipitates by the bacteria. The dark black precipitate exhibited visible characteristics of both UO2(s) and U3O8(s). Electron microprobe showed a very small crystal formed by the bacteria, but was inconclusive with respect to the elemental composition of the mineral. The XRD spectra determined that precipitate was uranium dioxide UO2(s). The investigation included a time phased uranium isotope analysis in the precipitate and supernatant samples. Thermal Ionization Mass Spectrometry (TIMS) measured the uranium isotopic ratio of U-238/U-235 to determine if microbial reduction of U(VI) to U(IV) affected these ratios.

DTIC

Uranium; Bacteria; Ultraviolet Spectroscopy; Microorganisms; Aerobes; Uranium Isotopes

20000074288 National Agency for Medicines, Helsinki, Finland

Phototherapy appliances, their ultraviolet radiation and quality assurance of phototherapy

Huurto, L.; Leszczynski, K.; Visuri, R.; Ylianttila, L.; Jokela, K.; Dec. 31, 1998; 69p; In Finnish

Report No.(s): DE99-636794; LL-JULK-4/1998; ISBN 952-5099-22-9; No Copyright; Avail: Department of Energy Information Bridge, Microfiche

Artificial UV radiation (UVR) is used in the treatment of psoriasis and other skin diseases. Long term phototherapy is associated to increased risk of squamous cell carcinoma. This report gives a short review of biological effects of UVR and technical aspects of phototherapy units. The phototherapy units used in Finnish Central hospitals are described and the measured UVR dose rates of these units are presented. In addition, the UVR meters used in hospitals are described and the calibration factors are given for UVR dose rate measurements. Finally, recommendations are given for the quality assurance of photo-therapy units as well as for assessing UVR doses of patients.

NTIS

Therapy; Ultraviolet Radiation; Quality Control

2000080159 NASA Ames Research Center, Moffett Field, CA USA

Body Temperatures During Exercise in Deconditioned Dogs: Effect of NACL and Glucose Infusion

Greenleaf, J. E., NASA Ames Research Center, USA; Kruk, B., NASA Ames Research Center, USA; Nazar, K., NASA Ames Research Center, USA; Kaciuba–Usciko, H., NASA Ames Research Center, USA; [2000]; 1p; In English; No Copyright; Avail: Issuing Activity; Abstract Only

Infusion of glucose (Glu) into normal exercising dogs attenuates the rise in rectal temperature (Delta-Tre) when compared with delta-Tre during FFA infusion or no infusion. Rates of rise and delta-=Tre levels are higher during exercise after confinement. Therefore, the purpose of this study was to determine if Glu infusion would attenuate the exercise-induced excess hyperthermia after deconditioning. Rectal and quadricep femoris muscle temperatures (Tmu) were measured in 7 male, mongrel dogs dogs (19.6 +/- SD 3.0 kg) during 90 minutes of treadmill exercise (3.1 +/-SD 0.2 W/kg) with infusion (30ml/min/kg) of 40% Glu or 0.9% NaCL before BC) and after confinement (AC) in cages (40 x 110 x 80 cm) for 8 wk. Mean (+/-SE body wt. were 19.6 +/- 1.1 kg BC and 19.5 +/- 1.1kg AC, exercise VO2 were not different (40.0 - 42.0 mi/min/kg-1). With NaCl AC, NaCl BC, GluAC, and GluBC: Delta-Tre were, 1.8, 1.4, 1.3 and 0.9C respectively; and Delta-Tmu were 2.3, 1.9, 1.6, and 1.4C. respectively (Pis less than 0.05 from GluBC). Compared with NaCl infusion, attenuated both Delta-Tre and Delta-Tmu BC and AC, respectively. Compared with GluBC, GluAC attenuated Delta-Tmu but not Delta-Tre. Thus. with similar heat production, the mechanism for attenuation at bad body temperature with Glu infusion must affect avenues of heat dissipation.

Body Temperature; Dogs; Hyperthermia; Physical Exercise; Thermoregulation; Sodium Chlorides; Glucose

52 AEROSPACE MEDICINE

Includes the biological and physiological effects of atmospheric and space flight (weightlessness, space radiation, acceleration, and altitude stress) on the human being; and the prevention of adverse effects on those environments. For psychological and behavioral effects of aerospace environments see 53 Behavioral Science. For the effects of space on animals and plants see 51 Life Sciences.

20000070677 Kyoto Prefectural Univ., Dept. of Physiology, Kyoto, Japan

Effect of an Exercise-Heat Acclimation Program on Body Fluid Regulatory Responses to Dehydration in Older Men Takamata, Akira, Kyoto Prefectural Univ., Japan; Ito, Tomoyuki, Kyoto Prefectural Univ., Japan; Yaegashi, Kazuhiro, Kyoto Prefectural Univ., Japan; Takamiya, Hisatake, Kyoto Prefectural Univ., Japan; Maegawa, Yasuyo, Kyoto Prefectural Univ., Japan; Itoh, Toshiyuki, Kyoto Prefectural Univ., Japan; Greenleaf, John E., Kyoto Prefectural Univ., Japan; Morimoto, Taketoshi, Kyoto Prefectural Univ., Japan; American Journal of Physiology; 1999; ISSN 0363-6119; Volume 277, No. 4, pp. R1041-R1050; In English; Sponsored in part from the Foundation of Total Health Promotion; Copyright; Avail: Issuing Activity

Effect of an exercise-heat acclimation program on body fluid regulatory response to dehydration in older men. We examined if an exercise-heat acclimation program improves body fluid regulatory function in older subjects, as has, been reported in younger subjects. Nine older (Old; 70 plus or minus 3 yr) and six younger (Young; 25 plus or minus 3 yr) male subjects participated in the study. Body fluid regulatory responses to n acute thermal dehydration challenge were examined before and after the 6-day acclimation session. Acute dehydration was produced by intermittent light exercise [4 bouts of 20-min exercise at 40% peak rate of oxygen consumption VO2 peak) separated by 10 min rest] in the heat (36 C; 40% relative humidity) followed by 30 min of recovery without fluid intake at 25 C. During the 2-h rehydration period the subjects drank a carbohydrate-electrolyte solution

ad libitum. In the preacclimation test, the Old lost approximately 0.8 kg during dehydration and recovered 31 plus or minus 4% of that loss during rehydration, whereas the Young lost approximately 1.2 kg and recovered 56 plus or minus 8% (P less than 0.05, Young vs. Old). During the 6-day heat acclimation period all subjects performed the same exercise-heat exposure as in the dehydration period. Exercise-heat acclimation increased plasma volume by approximately 5% (P less than 0.05) in Young subjects but not in Old. The body fluid loss during dehydration in the postacclimation test was similar to that in the preacclimation in Young and Old. The fractional recovery of lost fluid volume during rehydration increased in Young (by 80 plus or minus 9%; P less than 0.05) but not in Old (by only 34 plus or minus 5%; NS). The improved recovery from dehydration in Young was mainly due to increased fluid intake with a small increase in the fluid retention fraction. The greater involuntary dehydration (greater fluid deficit) in Old was accompanied by reduced plasma vasopressin and aldosterone concentrations, renin activity, and subjective thirst rating (P less than 0.05, Young vs. Old). Thus older people have reduced ability to facilitate body fluid regulatory function by exercise-heat acclimation, which might be involved in attenuation of the acclimation-induced increase in body fluid volume.

Author

Body Fluids; Dehydration; Males; Physical Exercise; Heat Acclimatization

20000070843 Northeastern Forest Experiment Station, Forestry Sciences Lab., Delaware, OH USA

Ultraviolet Radiation, Human Health and the Urban Forest Final Report

Heisler, G. M.; Grant, R. H.; 2000; 44p; In English

Report No.(s): PB2000-104066; FSGTR-NE-268; NEFES/00-3; No Copyright; Avail: National Technical Information Service (NTIS)

Excess exposure to ultraviolet (UV) radiation from the sun, particularly the ultraviolet B (UVB) portion, has been definitely linked with adverse effects on human health, including inducement of skin cancers and eye diseases. Trees may prevent even greater disease rates in humans by reducing UV exposure. Trees greatly reduce UV irradiance in their shade when they obscure both the sun and sky. However, at locations where trees obscure the sun but leave much of the sky in view, UV radiation is much more prevalent than is suggested by the appearance of the visible shadow. Recent measurements of leaf optical properties and algorithms describing sky-radiance distributions will provide information for generating computer models of the effect of trees on UV radiation. These models will be useful in estimating the climatology of UV irradiance in urban areas with trees and buildings, and will aid epidemiological studies and in preparing illustrations of shade patterns for use in public education programs.

NTIS

Forests; Ultraviolet Radiation; Health Physics; Cities; Exposure

20000070857 NASA Ames Research Center, Moffett Field, CA USA

Intensive Exercise Training During Bed Rest Attenuates Deconditioning

Greenleaf, John E., NASA Ames Research Center, USA; Medicine and Science in Sports and Exercise; 1997; ISSN 0195-9131, pp. 207-215; In English

Contract(s)/Grant(s): NAG2-410; MRDC-3A161101A-91C; RTOP 199-21-12; RTOP 199-22-12; RTOP 199-22-22; RTOP 199-22-32; Copyright; Avail: Issuing Activity

Intensive exercise training during bed rest attenuates deconditioning. Med. Sci. Sports Exerc., Vol. 29, No. 2, pp. 207-215, 1997. A 30-d 6 deg head-down bed rest project was conducted to evaluate variable high-intensity, short-duration, isotonic cycle ergometer exercise (ITE) training and high-intensity intermittent resistive isokinetic exercise (IKE) training regimens designed to maintain peak VO2 and muscle mass, strength, and endurance at ambulatory control levels throughout prolonged bed rest. Other elements of the deconditioning (adaptive) syndrome, such as proprioception, psychological performance, hypovolemia, water balance, body composition, and orthostatic tolerance, were also measured. Major findings are summarized in this paper. Compared with response during bed rest of the no exercise (NOE) control group: the ITE training regimen (a) maintained work capacity (peak VO2), (b) maintained plasma and red cell volumes, (c) induced positive body water balance, (d) decreased quality of sleep and mental concentration, and (e) had no effect on the decrease in orthostatic tolerance; the IKE training regimen (f) attenuated the decrease in peak VO2 by 50%, (g) attenuated loss of red cell volume by 40% but had no effect on loss of plasma volume, (b) induced positive body water balance, (i) had no adverse effect on quality of sleep or concentration, and 0) had no effect on the decrease in orthostatic tolerance. These findings suggest that various elements of the deconditioning syndrome can be manipulated by duration and intensity of ITE or IKE training regimens and that several different training protocols will be required to maintain or restore physiological and psychological performance of individuals confined to prolonged bed rest.

Author

Physical Exercise; Deconditioning; Education; Orthostatic Tolerance; Physiology; Sleep; Bed Rest

20000072498 Defence Science and Technology Organisation, Melbourne Australia

Support For International Conference on Physiological and Cognitive Performance In Extreme Environments Final Report

Lau, Tony; Jul. 2000; 230p; In English Contract(s)/Grant(s): DAMD17-00-1-0059

Report No.(s): AD-A377296; No Copyright; Avail: CASI; A11, Hardcopy; A03, Microfiche

The proceedings for the International Conference on Physiological and Cognitive Performance in Extreme Environments is presented.

DTIC

Conferences; Mental Performance; Physiology; Cognition; Fatigue (Biology)

20000073250 Army Research Inst. of Environmental Medicine, Natick, MA USA

Effect of Smoking on Cutaneous Vascular Responses to Exercise in Healthy, Exercise-Trained, Heat-Acclimated Humans Stephenson, Lou A.; Mair, Brent S.; Boulant, Catherine G.; Staab, Janet; Kesick, Christina M.; May 2000; 24p; In English Report No.(s): AD-A377808; USARIEM-T00-19; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

The purpose of this study was to examine vascular responses to exercise in individuals with a risk factor for atherogenesis compared to individuals who did not share that particular risk. It was hypothesized that smokers (S; n=4) had less compliant cutaneous vessels than nonsmokers (NS; n=4). Esophageal (Tes) and skin temperatures (Tsk), heart rate (HR), blood pressure, forearm skin blood flow (SkBF) and forearm blood flow (FBF) were measured at rest, during 30 min cycle exercise (60% peak aerobic power), following arterial occlusion (reactive hyperemia) and during recovery at 30 degrees Centigrade. Tes, Tsk and FBF were not different between S and NS at rest, during exercise or recovery. HR was higher in smokers at rest (S =69+9; NS=58+5 bpm; p=0.05) and during recovery (S=90+10; NS=75+10 bpm; p=0.07), but not different during exercise. During hyperemia, cutaneous vascular conductance (SkBF/MAP) averaged 3.5 ml/100 ml/min/Torr lower in S than NS (p=0.03). Thermoregulatory responses were not compromised during the 30-min exercise in a warm environment. However, during recovery, HR was increased and reactive hyperemia was decreased in smokers.

DTIC

Physical Exercise; Cardiovascular System; Physiological Responses; Human Beings; Heat Acclimatization; Nicotine

20000073312 Army Research Inst. of Environmental Medicine, Military Performance Div., Natick, MA USA Physiologic and Pathologic Responses to Heat Stress

Wenger, C. B.; Oct. 1998; 16p; In English

Report No.(s): AD-A377503; MISC-99-3; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

The most important responses in humans for removing heat from the body are sweating, which increases heat loss by evaporation, and cutaneous vasodilation, which increases skin blood flow and heat transfer from core to skin. Intense exercise can increase heat production within the body ten-fold or more. For the first few minutes of exercise, most of the heat produced is retained within the body, raising core temperature until it elicits heat-dissipating responses sufficient to eliminate heat as fast as it is produced. Because of the levels of skin blood flow needed for high rates of heat dissipation in a hot environment exercise and heat dissipation make competing demands on the cardiovascular system. In addition, if water and electrolytes lost as sweat are not replaced, plasma volume eventually is depleted, thus reducing central blood volume and impairing cardiac filling. Through these mechanisms, secondary effects of the thermoregulatory responses contribute to many of the adverse effects of heat stress, though other mechanisms related to high core temperature also have a role, especially in heat stroke. Heat tolerance is increased by aerobic exercise conditioning and by acclimatization to heat. Conversely, poor physical fitness and certain disease states and drugs are associated with impairment of the thermoregulatory responses. The foregoing factors account for most of the inter-individual differences in heat tolerance associated with gender and age.

DTIC

Body Temperature; Heat Tolerance; Physical Fitness; Pathology; Physiological Effects; Skin (Anatomy); High Temperature Environments; Physical Exercise; Physiological Responses; Heat Acclimatization; Thermoregulation

2000073315 Army Research Inst. of Environmental Medicine, Natick, MA USA

Exercise and Core Temperature

Wenger, C. B.; Mar. 1999; 25p; In English

Report No.(s): AD-A377492; MISC-99-6; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

In humans the most important responses for removing heat from the body are sweating, which increases heat loss by evaporation, and cutaneous vasodilation, which increases skin blood flow and heat transfer from core to skin. Vigorous exercise

can increase heat production within the body ten-fold or more. During the first few minutes of exercise, most of the heat produced is retained within the body, raising core temperature until it elicits heat-dissipating responses sufficient to eliminate heat as fast as it is produced. The steady-state increase in core temperature is proportional to the rate of heat production and, within certain limits, independent of environmental conditions. Because of the levels of skin blood flow needed for high rates of heat dissipation in a hot environment, exercise and heat dissipation make competing demands on the cardiovascular system. Moreover, if water and electrolytes lost as sweat are not replaced, plasma volume eventually is depleted, thus reducing central blood volume and impairing cardiac filling. Through these mechanisms, secondary effects of the thermoregulatory responses contribute to many of the adverse effects of heat stress, though other mechanisms related to high core temperature also have a role, especially in heat stroke. Heat tolerance is increased by aerobic exercise conditioning and by acclimatization to heat. Conversely, poor physical fitness and certain disease states and drugs are associated with impairment of the thermoregulatory responses. The foregoing factors account for most of the inter-individual differences in heat tolerance associated with gender and age. Because of the high rates of heat production, heat-related illnesses are much more likely during exercise than is hypothermia. However, hypothermia may occur during prolonged exercise due to inadequate clothing, changes in the weather, or fatigue or musculoskeletal injury which reduces the level of exercise that can be sustained.

DTIC

Physical Exercise; Body Temperature; Heat Tolerance; Blood Circulation; Physical Fitness; Sweat; Heat Acclimatization; Physiological Effects; High Temperature Environments; Physiological Responses; Thermoregulation

20000073392 NASA Ames Research Center, Moffett Field, CA USA

Neuroendocrine and Immune System Responses with Spaceflights

Tipton, Charles M., NASA Ames Research Center, USA; Greenleaf, John E., NASA Ames Research Center, USA; Jackson, Catherine G. R., NASA Ames Research Center, USA; Medicine and Science in Sports and Exercise; 1996; ISSN 0195-9131, pp. 988-998; In English; Copyright; Avail: Issuing Activity

Despite the fact that the first human was in space during 1961 and individuals have existed in a microgravity environment for more than a year, there are limited spaceflight data available on the responses of the neuroendocrine and immune systems. Because of mutual interactions between these respective integrative systems, it is inappropriate to assume that the responses of one have no impact on functions of the other. Blood and plasma volume consistently decrease with spaceflight; hence, blood endocrine and immune constituents will be modified by both gravitational and measurement influences. The majority of the in-flight data relates to endocrine responses that influence fluids and electrolytes during the first month in space. Adrenocorticotropin (ACTH), aldo-sterone, and anti-diuretic hormone (ADH) appear to be elevated with little change in the atrial natriuretic peptides (ANP). Flight results longer than 60 d show increased ADH variability with elevations in angiotensin and cortisol. Although post-flight results are influenced by reentry and recovery events, ACTH and ADH appear to be consistently elevated with variable results being reported for the other hormones. Limited in-flight data on insulin and growth hormone levels suggest they are not elevated to counteract the loss in muscle mass. Post-flight results from short- and long-term flights indicate that thyroxine and insulin are increased while growth hormone exhibits minimal change. In-flight parathyroid hormone (PTH) levels are variable for several weeks after which they remain elevated. Post-flight PTH was increased on missions that lasted either 7 or 237 d, whereas calcitonin concentrations were increased after 1 wk but decreased after longer flights. Leukocytes are elevated in flights of various durations because of an increase in neutrophils. The majority of post-flight data indicates immunoglobulin concentrations are not significantly changed from pre-flight measurements. However, the numbers of T-lymphocytes and natural killer cells are decreased with post-flight conditions, of the lymphokines, interleukin-2 production, lymphocyte responsiveness, and the activity of natural killer cells are consistently reduced post-flight. Limited head-down tilt (HDT) data suggest it is an effective simulation model for microgravity investigations. Neuroendocrine and pharmacological countermeasures are virtually nonexistent arid should become high priority items for future research. Although exercise has the potential to be an effective countermeasure for various neuroen-docrine-immune responses in microgravity, this concept must be tested before flights to Mars are scheduled.

Author

Blood Plasma; Countermeasures; Endocrine Systems; Hypokinesia; Immune Systems; In-Flight Monitoring; Measuring Instruments; Microgravity; Physiological Responses

20000073801 Energia Nucleare e Delle Energie Alternative, Centro Ricerche 'Ezio Clementel, Bologna, Italy Bico 2: second national intercomparison campaign of WBC centres working in Italy Castellani, C. M.; Battisti, P.; Tarroni, G.; Dec. 31, 1998; 66p; In Italian; In English Report No.(s): DE99-722875; ENEA-RT-AMB-98-11; No Copyright; Avail: Department of Energy Information Bridge

During the period November 1994 - May 1995 the coordinating group of WBC centres working in Italy organized the 2. national intercalibration and intercomparison campaign. A BOMAB phantom was used filled with four radionuclides gel solution with gamma energy emissions ranging between 100 keV and 2 MeV. 17 out of 21 Italian WBC centres took part in the campaign. Through the intercalibration, organized according to internationally accepted methodologies, each WBC centre could check its own calibration procedures. many intermediate data, collected for the methodologies and measurement procedures intercomparison, permitted analyses and comparison of uncertainly causes in a WBC measurement of the internal contamination. A proposal of MDA definition and assessment procedure resulted from the intercomparison campaign.

Contamination; Radiation Detectors; Aerospace Medicine

20000073802 Energia Nucleare e Delle Energie Alternative, Centro Ricerche 'Ezio Clementel, Bologna, Italy Valdose program: methodologies for dose assessment in internal contamination, 1997 census Castellani, C. M.; Battisti, P.; Tarroni, G.; Dec. 31, 1998; 31p; In Italian; In English

Report No.(s): DE99-722874; ENEA-RT-AMB-98-10; No Copyright; Avail: Department of Energy Information Bridge

Dose assessment in internal dosimetry needs computational and interpretative tools that allow carrying out, as a first step, an evaluation of intake on the base of bioassay measurements or WBC measurements, and as a second step, dose evaluation on the base of estimated intake. In the frame of the MIDIA Co-ordination (WBC operating in Italy), in the first months of 1997 a census on methodologies for dose evaluation in internal contamination has been proposed. A technical form has been sent to all the WBC Centres allowing an accurate description of modalities used in each centre. 9 out of 17 centres sent the answers to the technical form in time. In this paper all the forms filled in are reported. A careful comparative evaluation of the answers has been made both for routine monitoring and for special monitoring. The various radionuclides present in the Italian reality, calculation methodologies both for intake and dose, hypotheses adopted for date, path and modalities of contaminations are also presented. Proposals for conforming to the methodology in Italy after the introduction of the models following ICRP 60 publication that are the base of the Euratom 96/29 Directive are also discussed.

NTIS

Dosage; Contamination; Software Development Tools; Aerospace Medicine

2000/074644 Jet Propulsion Lab., California Inst. of Tech., Pasadena, CA USA

Multimode-Optical-Fiber Imaging Probe

Jackson, Deborah, Jet Propulsion Lab., California Inst. of Tech., USA; [2000]; 1p; In English; No Copyright; Avail: Issuing Activity; Abstract Only

Currently, endoscopic surgery uses single-mode fiber-bundles to obtain in vivo image information inside orifices of the body. This limits their use to the larger natural bodily orifices and to surgical procedures where there is plenty of room for manipulation. The knee joint, for example can be easily viewed with a fiber optic viewer, but joints in the finger cannot. However, there are a host of smaller orifices where fiber endoscopy would play an important role if a cost effective fiber probe were developed with small enough dimensions (is less than 250 microns). Examples of beneficiaries of micro-endoscopes are the treatment of the Eustatian tube of the middle ear, the breast ducts, tear ducts, coronary arteries, fallopian tubes, as well as the treatment of salivary duct parotid disease, and the neuro endoscopy of the ventricles and spinal canal. to solve this problem, this work describes an approach for recovering images from. tightly confined spaces using multimode fibers and analytically demonstrates that the concept is sound. The proof of concept draws upon earlier works that concentrated on image recovery after two-way transmission through a multimode fiber as well as work that demonstrated the recovery of images after one-way transmission through a multimode fiber. Both relied on generating a phase conjugated wavefront which was predistorted with the characteristics of the fiber. The described approach also relies on generating a phase conjugated wavefront, but utilizes two fibers to capture the image at some intermediate point (accessible by the fibers, but which is otherwise visually unaccessible).

Author

Imaging Techniques; Fiber Optics; Endoscopes; Coronary Circulation

20000074735 Communications Research Lab., Kashima Space Research Center, Kashima, Japan Optical Linked VLBI in Japan

Nakajima, Junichi, Communications Research Lab., Japan; Koyama, Yasuhiro, Communications Research Lab., Japan; Kondo, Tetsuro, Communications Research Lab., Japan; Sekido, Mamoru, Communications Research Lab., Japan; Takahashi, Yukio, Communications Research Lab., Japan; Kawai, Eiji, Communications Research Lab., Japan; Okubo, Hiroshi, Communications Research Lab., Japan; Kiuchi, Hitoshi, Communications Research Lab., Japan; Kawaguchi, Noriyuki, National Astronomical Observatory, Japan; Kimura, Moritaka, National Astronomical Observatory, Japan; International VLBI Service for Geodesy and

Astrometry: 2000 General Meeting Proceedings; May 2000, pp. 334-337; In English; See also 20000074683; No Copyright; Avail: CASI; A01, Hardcopy; A04, Microfiche

Optical linked VLBI is the key technology to change historical VLBI style in this decade. It will not only achieve high sensitivity by the fast data transfer beyond magnetic tapes, but other features are also attractive for the VLBI operation. The optical linked data transfer without the media transport and its real-time correlation capability enables the quick look of observations. This means our global VLBI network will serve as a connected interferometer. Dynamic scheduling and realtime fringe checks eliminate independent fringe tests before observation and after standby. These features of optical linked VLBI minimize observation failure usually known long after observation and maximize telescope resources. Currently operated optical VLBI network KSP (Key Stone Project), GALAXY (Giga-bit Astronomical Large Array Xross-connect) and other experimental based optical VLBI in Japan are briefly summarized in this report.

Author

Very Long Base Interferometry; Optical Data Processing; Data Transmission; Interferometers; Real Time Operation

2000075211 NASA Ames Research Center, Moffett Field, CA USA

Stress, Aging and Thirst

Greenleaf, John E., NASA Ames Research Center, USA; Facts, Research and Intervention in Geriatrics, 1998: Hydration and Aging; [1998]; 7p; In English; ISBN 2-909342-52-2; Copyright; Avail: Issuing Activity

After growth during adolesence, total body water decreases progressively with aging from 65% of body weight to about 53% of body weight in the 70th decade; a majority of the loss occurs from the extracellular volume, from 42% to about 25%, respectively. Cellular volume also reaches equilibrium in the 70th decade at about 25% of body weight. Various stresses such as exercise, heat and attitude exposure, ad prior dehydration attenuate voluntary fluid intake (involuntary dehydration). Voluntary fluid intake appears to decrease with aging (involuntary dehydration in this sense aging can be considered as a stress. Kidney function and muscle mass (80% water) decrease somewhat with aging, and voluntary fluid intake (thirst) is also attenuated. Thirst is stimulated by increasing osmolality (hypernatremia) of the extracellular fluid and by decreased extracellular volume (mainly plasma volume) which act to increase intracellular fluid volume osmolality to activiate drinking. The latter decreases fluid compartment osmolality which 'It terminates drinking. However, this drinking mechanism seems to be attenuated with aging such that increasing plasma osmolality no longer stimulates fluid intake appropriately. Hypernatremia in the elderly has been associated all too frequently with greater incidence of bacterial infection and increased mortality. Involuntary dehydration can be overcome in young men by acclimation to an intermittent exercise-in-heat training program. Perhaps exercise training in the elderly would also increase voluntary fluid intake and increase muscle mass to enhance retention of water.

Author

Age Factor; Dehydration; Drinking; Aging (Biology); Gerontology; Water Loss

20000075545 Naval Health Research Center, San Diego, CA USA

A Proposal for Integrated Shipboard Alertness Management

Makeig, Scott; Neri, David F.; Mar. 13, 1996; 12p; In English

Report No.(s): AD-A378421; NHRC-96-4; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Under reduced manning policies now proposed for U.S. military naval vessels, continuity of on-duty crew alertness may become a major problem. We propose an integrated hardware and software system for fatigue and alertness management of military shipboard personnel, which would involve: (1) continuous, noninvasive monitoring of crew sleep history via wristband activity monitor; (2) dynamic work/rest scheduling software for optimizing crew schedules under changing missions and personnel demands; and (3) real time, objective alertness monitoring of on-duty crew in key work stations using electroencephalographic (EEG) signals recorded via noninvasive dry electrodes built into a cap or audio headset. The system would allow commanders to make operational decisions based on objective knowledge of their crew's state of fatigue and alertness, to maximize human-system efficiency and safety.

DTIC

Electroencephalography; Sleep Deprivation; Computer Programs; Fatigue Life; Real Time Operation; Ships

20000075722 Naval Health Research Center, San Diego, CA USA

An Epidemiologic Study of the Association Between Patterns of Physical Training and Musculoskeletal Injuries Final Report, 1994-1995

Almeida, Sandra A.; Williams, Karen M.; Shaffer, Richard S.; Brodine, Stephanie K.; Jan. 1998; 28p; In English Report No.(s): AD-A378312; NHRC-96-32; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

This study identified rates of diagnosis-specific musculoskeletal injuries in USA Marine Corps (USMC) recruits, and examined the association between patterns of physical training and these injuries. Subjects were 1,296 randomly selected USMC male recruits, ages 17 to 28 years, who reported to Marine Corps Recruit Depot (MCRD) San Diego for boot camp training between January 12 and September 14, 1993. Recruits were followed prospectively through 12 weeks of training for injury outcomes. Weekly volumes and types of vigorous physical training were correlated with injury patterns. The overall injury rate was 39.6%, with 82% of injuries occurring in the lower extremities. Overuse injuries accounted for 78% of the diagnoses. The most frequent site of injury was the ankle/foot region (34.3% injuries), followed by the knee (28.1%). Ankle sprains (6.2%, n = 1,143), iliotibial band syndrome (5.3%, n = 1,143), and stress fractures (4.0%, n= 1,296) were the most common diagnoses. The highest rates of injury were reported during the first 3 weeks of training and during weeks 8,10, and 11. These weeks included high total volumes of vigorous physical training and the greatest number of hours of running and military marching.

Injuries; Musculoskeletal System; Physical Fitness; Epidemiology

2000075965 Naval Health Research Center, San Diego, CA USA

Limits of Tolerance to Hypothermia Final Report

Pozos, R. S.; Iaizzo, P. A.; Danzl, D. F.; Mills, W J.; Aug. 09, 1993; 57p; In English

Report No.(s): AD-A378275; NHRC-93-15; No Copyright; Avail: CASI; A04, Hardcopy; A01, Microfiche

With the advent of sophisticated rewarming techniques, physiologic systems demonstrate great tolerance to hypothermia. Organs can be cooled, and in some cases frozen, leading to a decrease in metabolic demands and then rewarmed with little or no long-term damage. Not all cases of hypothermia are reversed with rewarming. The major challenge for extending the limits of tolerance to hypothermia is to ascertain the fundamental mechanisms that are unleashed upon rewarming. The microvasculature remains the key site for extending human tolerance to hypothermia. The currently favored hypothesis for frostbit- induced damage is that free radicals are released by reperfusion that subsequently alter vascular tone. Eventually, these changes cause failure of the microcirculation and endothelial cell damage, resulting in thrombosis and necrosis. It is probable that the same cascade of events that occurs in frostbite also occurs during rewarming of the hypothermic patient. Predicting which system will fail upon rewarming is difficult since in many cases the hypothermia is secondary to some underlying pathology. This review will focus on two aspects of tolerance to the cold: 1) the physiologic effects that occur during hypothermia, and 2) the role various forms of rewarming play in reversing hypothermia.

DTIC

Human Tolerances; Hypothermia; Physiological Effects; Free Radicals; Frostbite

20000076642 NASA Langley Research Center, Hampton, VA USA

Aerospace Medicine and Biology: A Continuing Bibliography With Indexes, Supplement 502

July 2000; 45p; In English

Report No.(s): NASA/SP-1999-7011/SUPPL502; NAS 1.21:7011/SUPPL502; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

This supplemental issue of Aerospace Medicine and Biology, A Continuing Bibliography with Indexes (NASA/SP-2000-7011) lists reports, articles, and other documents recently announced in the NASA STI Database. In its subject coverage, Aerospace Medicine and Biology concentrates on the biological, physiological, psychological, and environmental effects to which humans are subjected during and following simulated or actual flight in the Earth's atmosphere or in interplanetary space. References describing similar effects on biological organisms of lower order are also included. Such related topics as sanitary problems, pharmacology, toxicology, safety and survival, life support systems, exobiology, and personnel factors receive appropriate attention. Applied research receives the most emphasis, but references to fundamental studies and theoretical principles related to experimental development also qualify for inclusion. Each entry in the publication consists of a standard bibliographic citation accompanied, in most cases, by an abstract. Two indexes-subject and author are included after the abstract section.

CASI

Aerospace Medicine; Bibliographies; Exobiology; Bioastronautics; Biological Effects; Indexes (Documentation); Pharmacology

20000076825 Institute of Space Medico-Engineering, Beijing, China

Space Medicine and Medical Engineering (Hangtian Yixue yu Yixue Gongcheng), Volume 13, No. 1, February 2000 Space Medicine and Medical Engineering

Feb. 2000; 88p; In Mixed

Report No.(s): PB2000-106338; No Copyright; Avail: CASI; A05, Hardcopy; A01, Microfiche

Topics discussed are: Effect of Total Flavonoids of Hippophae Rhamnoides on Contractile Mechanics and Calcium Transfer in Stretched Myoctye (in English); Effects of Rotating-table Simulated 'Push-Pull Maneuver' on Cerebral Circulation Function; Material Selection and Structural Design of Simulated Space Module for Field; Effects of Acute Hypobaric Hypoxia on the Distribution of Somatostatin Contents in lower Gastrointestinal Tract of Rats; Measurement and Evaluation of Visual Index in VDT Operators under Multi-User System; Weightlessness and Heat Stress on Astronauts; and Chinese Science Citation Database (CSCD) Fulfilled and Made in Use.

NTIS

Aerospace Medicine; Weightlessness; Biometrics

20000076826 Institute of Space Medico-Engineering, Beijing, China

Space Medicine and Medical Engineering (Hangtian Yixue yu Yixue Gongcheng), Volume 12, No. 5, October 1999 Wei, J.; Oct. 1999; 88p; In Mixed

Report No.(s): PB2000-106337; No Copyright; Avail: CASI; A05, Hardcopy; A01, Microfiche

Topics discussed are: Analysis of Heart Rate Variability during Parallel Swinging; Effects of Tea Polyphenols on Microcirculation and Antioxidation in Aircrew; Analysis of Mass Optimization of Manned Spacecraft ECLSS Thermo-hydraulic Network; Effect of Extremity Cuffs as a Countermeasure against the Cardiovascular Deconditioning during 21 d Heat-down Bedrest; Temperature Environment and the Heat Exchange of Astronaut in the Emergency Landing Areas; and Mechanisms and Detection of G-induced Loss of Consciousness.

NTIS

Aerospace Medicine; Biometrics; Weightlessness

20000078371 Naval Air Warfare Center, Aircraft Div., Patuxent River, MD USA

Human Tolerance to Acceleration Loads Generated in High-Performance Helicopters

Shender, Barry S.; Jan. 2000; 43p; In English

Report No.(s): AD-A378150; No Copyright; Avail: CASI, A03, Hardcopy; A01, Microfiche

The risk to helicopter aircrew of acceleration stress was assessed by investigating the human physiologic response to transitions from - 1 Gz (push) to +4.5 Gz (pull) loads. Nine volunteers participated in a study conducted at the Veridian Operations Centrifuge Facility in Warminster, PA. A 1-hr mission scenario consisting of nine helicopter maneuvers, based on in-flight G measurements (push-pull mission, PPM), simulated both current (CM: .0.2 to +3.3 Gz) and projected future platform capabilities (FM: -1 to +4.5 Gz). Measurements included blood pressure, heart rate (FIR), loss of vision, and subjective fatigue. Visual decrements were minimal during CM while muscular tensing was required to avoid blackout during FM. Light loss typically occurred during the transition from -Gz to +Gz. Within the scope of these tests, subjects tolerated the range of Gz-stresses associated with current USN rotary wing platforms. When subjected to FM G-loads (typical of current USA platforms), cardiovascular stress significantly increased, Gz tolerance dropped as much as 1.2 6, and HR increased as much as 67 bpm. Cardiovascular changes were significantly greater during FM PPM relative to GM. Four subjects reported Almost-Loss of Consciousness symptoms during FM. While G-stress experienced by aircrew generated by current helicopters does not appear to present a high risk, 6 awareness training is recommended to reduce risks to aircrew exposed to G-loads generated by more aggressive helicopters. Future studies are required to determine the impact of longer mission times and dehydration.

DTIC

Helicopters; Human Reactions; Human Tolerances; Flight Crews; Physiological Effects; Acceleration Tolerance; Flight Simulation

20000080068 Civil Aeromedical Inst., Oklahoma City, OK USA

Gender Differences in a Refractive Surgery Population of Civilian Aviators Final Report

Nakagawara, Van B., Civil Aeromedical Inst., USA; Montgomery, Ronald W., Civil Aeromedical Inst., USA; July 2000; 16p; In English

Contract(s)/Grant(s): FAA-AM-A-99-TOX-203

Report No.(s): DOT/FAA/AM-00/23; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Refractive surgical procedures performed in the USA have increased in recent years and continued growth is projected. Postoperative side effects can affect the quality of vision and may be unacceptable in a cockpit environment. The scientific literature suggests certain females (pregnant, menopausal, elderly) are more likely to experience complications and have less than

optimal visual performance after refractive surgery. This study reviews the civil aeromedical experience with refractive surgery by gender.

Author

Surgery; Sex Factor; Females; Males; Vision

2000080157 NASA Ames Research Center, Moffett Field, CA USA

Capillary Pressure Balance with Repeated Head-Up Tilt in Humans

Hinghofer–Szalkay, H. G., Austrian Society for Aerospace Medicine, Austria; Greenleaf, J. F., NASA Ames Research Center, USA; 1995; 1p; In English; No Copyright; Avail: Issuing Activity; Abstract Only

We measured blood density (BD). plasma density (PD) and hematocrit (Ht) during repeated 70 deg head-up tilt (HUT) consisting of a pre-drink period with two supine (P and P3) and two HUT (P2 and P4) phases of 45 min each. At the end of P4 test subjects (N=8) drank 10 ml/kg body weight of isotonic (290 mOsm/kg) sodium chloride (ISO) or hypotonic (is less than 10 mOsm/kg) unsweetened us (HYP), or nothing (control: CON). The following periods continued the supine (P5, P7) / upright (P6) sequence. Mass density of plasma and whole blood using a "mechanical oscillation" technique were measured from ear lobe blood. Tilting altered (pis less than 0.001) BD, PD, and Ht in all consecutive Phases. BD and PD were different (pis less than 0.05) between CON. HYP. and ISO Phases 6 and 7. The computed mass density of fluid (FD). which moved between intra. and extravascular compartments. averaged 1008 g/l and was the same in any conditions. In the non-drink treatment (P3, P5, P7), supine PV steadly decreased when compared to P1. Tilt-induced PV shifts ranged from 9.7 to 16.7% when compared to PV du. ring the respective previous Phases. After drinking, PV increased above CON values at the end of Phase 7 by 12.9% with ISO, and by 6.6% with HYP. Progressive hemoconcentration. occurred during non-drink supine; isotonic saline ingestion increased supine PV a control level but did not stop or reverse the decrease of upright hemoconcentration. Upright density values were not slowed with repeated upright tilting; decreased fluid loss occurred in consecutive upright periods. Upright capillary pressure balance was achieved with diminished plasma volume loss during repeated tilting.

Author

Blood Plasma; Hematocrit; Body Fluids; Head Up Tilt; Bioastronautics; Hemodynamic Responses; Blood Circulation; Blood Volume

2000000158 NASA Ames Research Center, Moffett Field, CA USA

Time Course and Variability of Polycythemic Response in Men at High Altitude

Grover, R. F., NASA Ames Research Center, USA; Seiland, M., NASA Ames Research Center, USA; McCullough, R. G., NASA Ames Research Center, USA; Greenleaf, J. E., NASA Ames Research Center, USA; Dahms, T. E., NASA Ames Research Center, USA; Wolfel, E., NASA Ames Research Center, USA; Reeves, J. T., NASA Ames Research Center, USA; [2000]; 1p; In English; No Copyright; Avail: Issuing Activity; Abstract Only

Ten young men were exposed to 4,300 m (PB 460 Torr) for three weeks. Plasma volume (PV, Evans Blue dye). and blood volume (BV, carbon monoxide) measured simultaneously, and red cell volume (RCV) calculated from hematocrit, were determined twice at sea level and after 9-11 and 19-20 days at high altitude. After 19-20 days. half the subjects increased RCV +19.4 +/- 1.8% (pis less than 0.001); the other 5 subjects had no significant change in RCV. All 10 subjects had a sustained decrease in PV (-16.2 +/- 1.9%, pis less than 0.05) at altitude. Consequently, compared with sea level values, BV was unchanged (-3.1 +/- 1.8%) in the group with increased RCV, but BV decreased significantly (-12.2 +/- 1.4%, pis less than 0.05) in the other group. Variability in RCV response was not explained by differences, in hypoxemic stimulus or the erythropoictin and reticulocyte responses. Since RCV reflects the balance between red cell. production and destruction, accelerated red cell destruction may have occurred in those individuals with no net change in RCV.

Author

Blood Volume; Erythrocytes; High Altitude; Hematopoietic System; Blood Cells; Hemodynamic Responses; Males

2000080160 NASA Ames Research Center, Moffett Field, CA USA

Hypervolemia During Drinking of ISO and Hypertonic Fluids by Men at Rest and Exercise

Greenleaf, J. E., NASA Ames Research Center, USA; Looft–Wilson, R., NASA Ames Research Center, USA; Wisherd, J. L., NASA Ames Research Center, USA; Fung, P. P., NASA Ames Research Center, USA; Erti, A. C., NASA Ames Research Center, USA; Jackson, C. G. R., NASA Ames Research Center, USA; Barnes, P. R., NASA Ames Research Center, USA; Wong, L. G., NASA Ames Research Center, USA; 1994; 1p; In English; No Copyright; Avail: Issuing Activity; Abstract Only

To test the hypothesis that drink composition is more important than osmolality (osm) for maintaining and increasing plasma vol. (PV, hypervolemia) at rest and exercise (21.8C Tdb, 50% rh), 6 men (22-39 vr) underwent six treatments while sitting for 90 min (0.39 l/min) followed by 70 min of sitting ergometer exercise (2.08 l/min, 70%vO2 peak). Resting, intermittent drinking

(10 ml/kg, 768 ml) beverages were: P1 (20 mEq Na+, 365 mosmol/kg), P2 (40 mEq Na+, 791 mosm), P2G (40 mEq Na+, 80 ml glycerol, 1.392 mosm). AA (157 mEq Na+, 253 mosm), and 01 and 02 (nothing). The exercise drink (10 ml/kg, 768 ml) was P1 for all experiments, except 02 (nothing). Resting % delta PV (Hb-Hct) increased (Pis less than 0.05) by 3-6% only with P2 and AA, respectively, Exercise % delta PV was + 1 to + 3% (NS) with AA, -6% to 0% (KS) with P1, P2. P2G, and 01, and 8% to -5% (Pis less than 0.05) with 02- Thus, AA with 157 mEq Na+ and the lowest osmolality maintained PV at rest and exercise, while the other beverages with low Na+ and higher osmolality (365 to 1.382 mosm) did not.

Hypervolemia; Males; Physical Exercise; Drinking; Osmosis; Hemodynamic Responses

2000080161 NASA Ames Research Center, Moffett Field, CA USA

Submaximal Exercise VO2 and Q During 30-Day 6 degree Head-Down Bed Rest with Isotonic and Isokinetic Exercise Training

Greenleaf, J. E., NASA Ames Research Center, USA; Bernauer, E. M., NASA Ames Research Center, USA; Erti, A. C., NASA Ames Research Center, USA; 1995; 1p; In English; No Copyright; Avail: Issuing Activity; Abstract Only

Submaximal exercise (61+3% peak VO2) metabolism was measured before (AC day-2) and on bed rest day 4, 11, and 25 in 19 healthy men (32-42 yr) allocated into no exercise (NOE, N=5) control, and isotonic exercise (ITE, N=7)and isokinetic exercise (IKE, N=7) training groups. Training was conducting supine for two 30-min periods/d for 6 d/wk: ITE was 60-90% peak VO2: IKE was peak knee flexion-extension at 100 deg/s. Supine submaximal exercise 102 decreased significantly (*pis less than 0.05) by 10.3%, with ITE and by 7.3%* with IKE; similar to the submaximal cardiac output (Q) change of -14.5%* (ITE) and -203%* (IKE), but different from change in peak VO2 (+1.4% with ITE and - 10.2%, with IKE) and plasma volume of -3.7% (ITE) and - 18.0% * (IKE). Thus, reduction of submaximal V02 during prolonged bed rest appears to respond to submaximal Q but is not related to change in peak VO2 or plasma volume.

Males; Physical Exercise; Bed Rest; Head Down Tilt; Hemodynamic Responses

53 BEHAVIORAL SCIENCES

Includes psychological factors; individual and group behavior; crew training and evaluation; and psychiatric research.

2000070852 Civil Aeromedical Inst., Oklahoma City, OK USA

Age and Attitudes in the Air Traffic Control Specialist Workforce: An Initial Assessment Final Report

Thompson, Richard C., Civil Aeromedical Inst., USA; Bailey, Lawrence L., Civil Aeromedical Inst., USA; May 2000; 14p; In English

Contract(s)/Grant(s): AM-B-99-HRR-516

Report No.(s): DOT/FAA/AM-00/17; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

The present study examines the relationships between air traffic control specialist age, after covarying job tenure, with perceptions of job satisfaction, quality of work life, organizational commitment, and supervisory fairness. The presence of a relationship and the shape of the relationship are examined for four categories of controllers based on air traffic option or work setting (i.e., working in an enroute, flight service stations, Level 1 to 3 or level 4 or 5 terminal (towers and tracons)). The results suggest that there is a small linear relationship between age and attitudes. Similar patterns have been found in age research in other work settings. There are some differences in the shape of the age function based on air traffic option; these differences account for minimal variance. It may be fruitful to develop a more focused study where age is measured as a continuous variable instead of using age categories, which may have masked some differences found in past research. In addition, future research may consider examining the age and attitudes relationships using international controllers to determine if there are cultural differences in the relationships found.

Author

Author

Age Factor; Air Traffic Controllers (Personnel); Organizations; Personnel Management; Human Relations; Employee Relations

20000072432 Institute for Human Factors TNO, Soesterberg, Netherlands

Pilot Studies on the Freezing Illusion Interim Report Pilot Studies Naar de Zgn. Bevries-Illusie

Wertheim, A. H., Institute for Human Factors TNO, Netherlands; Feb. 14, 2000; 25p; In English

Contract(s)/Grant(s): TNO Proj. 789.3; B99-043

Report No.(s): TD-00-0112; TM-00-B001; Copyright; Avail: Issuing Activity

In a number of pilot studies the freezing illusion (a grating, moving on a monitor, appears to 'freeze' on the monitor when that monitor itself is moved in the opposite direction; see Mesland en Wertheim, 1997) was investigated. The hypothesis was put forward that it may be a special case of the Pavard and Berthoz effect (during head- or ego-movements constant motion of a large visual pattern relative to the observers head appears to "freeze" in front of the head; see Pavard en Berthoz, 1977), meaning that both have a common denominator: the presence of a reference signal within the visual system (reference signals inform the visual system about self movements to enable a correct interpretation of retinal image motion). The pilot studies suggest that this hypothesis is incorrect and that the two phenomena seem to be of a different nature. They suggest that there is no need for a further test of this particular explanation of the Freezing illusion. A different explanation is, however, still lacking. On the other hand, the data support the opposite claim (Wertheim, 1994) that reference signals have no effect on the perception of relative motion between objects with respect to each other.

Author

Image Motion Compensation; Head Movement; Visual Signals; Retinal Images

20000073287 NASA Johnson Space Center, Houston, TX USA

Predictors of Behavior and Performance in Extreme Environments: The Antarctic Space Analogue Program Palinkas, Lawrence A., California Univ., San Diego, USA; Gunderson, E K. Eric, Naval Health Research Center, USA; Holland, A. W., NASA Johnson Space Center, USA; Miller, Christopher, California Univ., San Diego, USA; Johnson, Jeffrey C., East Carolina Univ., USA; Aviation, Space, and Environmental Medicine; June 2000; Volume 71, No. 6, pp. 619-625; In English Contract(s)/Grant(s): NAG5-4571; Copyright; Avail: Issuing Activity

To determine which, if any, characteristics should be incorporated into a select-in approach to screening personnel for long-duration spaceflight, we examined the influence of crewmember social/demographic characteristics, personality traits, interpersonal needs, and characteristics of station physical environments on performance measures in 657 American men who spent an austral winter in Antarctica between 1963 and 1974. During screening, subjects completed a Personal History Questionnaire which obtained information on social and demographic characteristics, the Deep Freeze Opinion Survey which assessed 5 different personality traits, and the Fundamental Interpersonal Relations Orientation-Behavior (FIRO-B) Scale which measured 6 dimensions of interpersonal needs. Station environment included measures of crew size and severity of physical environment. Performance was assessed on the basis of combined peer-supervisor evaluations of overall performance, peer nominations of fellow crewmembers who made ideal winter-over candidates, and self-reported depressive symptoms. Social/demographic characteristics, personality traits, interpersonal needs, and characteristics of station environments collectively accounted for 9-17% of the variance in performance measures. The following characteristics were significant independent predictors of more than one performance measure: military service, low levels of neuroticism, extraversion and conscientiousness, and a low desire for affection from others. These results represent an important first step in the development of select-in criteria for personnel on long-duration missions in space and other extreme environments. These criteria must take into consideration the characteristics of the environment and the limitations they place on meeting needs for interpersonal relations and task performance, as well as the characteristics of the individuals and groups who live and work in these environments. Author

Antarctic Regions; Human Performance; Human Relations; Performance Prediction; Personality; Personnel; Psychology; Psychological Effects; Human Reactions

2000075969 Naval Postgraduate School, Monterey, CA USA

An Interactive Virtual Environment for Training Map-Reading Skill in Helicopter Pilots

McLean, Timothy D.; Sep. 1999; 121p; In English

Report No.(s): AD-A378330; No Copyright; Avail: CASI; A06, Hardcopy; A02, Microfiche

Currently, Student Naval Aviators are trained to interpret 1:50,000 scale contour maps by watching VHS videotapes. These tapes show a helicopter moving about twice its normal speed over desert terrain. Primarily due to the lack of interactivity in these videos, students often make mistakes very early in the videotaped flight. The helicopter does not stop until the tape is over, hence, the training evolution quickly becomes useless because students usually make mistakes during the first minute of the tape and are unable to recover or to learn from those mistakes. Based on a previous study at the Naval Postgraduate School, a training system that utilizes virtual environment technology was developed that is compliant with the Information for the 21st Century (IT-21) initiative. The system was built using a Windows NT / Intel (Wintel) based computer along with three 24-inch monitors to train the tasks of map interpretation and terrain association. This desktop system was fielded at Helicopter Antisubmarine Squadron 10 (HS-10) for experimentation. Results of this experiment indicate that student pilots who received VE training performed the

navigation task better in the helicopter than students who received only conventional training. Also, an IT-21 Wintel based computer is capable of rendering a graphically intensive multi-monitor application at frame rates suitable for training.

Aircraft Pilots; Air Navigation; Virtual Reality; Computer Assisted Instruction; Pilot Training

2000080098 NASA Langley Research Center, Hampton, VA USA

Pilot Biofeedback Training in the Cognitive Awareness Training Study (CATS)

Uenking, M., NASA Langley Research Center, USA; [2000]; 8p; In English; Sponsored by American Inst. of Aeronautics and Astronautics, USA

Report No.(s): AIAA Paper 2000-4074; Copyright Waived; Avail: CASI; A02, Hardcopy; A01, Microfiche

One of the ongoing problems that pilots face today is a diminished state of awareness such as boredom, sleepiness, or fatigue during cruise conditions that could result in various pilot errors. This study utilized a cognitive training exercise to sharpen the pilot's awareness during simulated flight thereby providing them with a means to overcome these diminished states of awareness. This study utilizes psychophysiological methods in an attempt to assess a pilot's state of awareness more directly. In turn, the pilots will be able to train themselves to recognize these states of awareness and be more mentally sharp during mundane tasks such as those experienced in cruise conditions. The use of these measurement tools may be beneficial for researchers working within the NASA Aviation Safety Program. This paper will provide the reader with some background information concerning the motivation for the study, a brief description of the experimental setup and design matrix, the dependent and independent variables that were employed, and some preliminary findings based on some of the subjective and objective data that was collected. These preliminary findings are of part of an ongoing study being conducted at the NASA Langley Research Center in Hampton, Virginia. Author

Pilot Training; Aviation Psychology; Aircraft Pilots; Biofeedback; Flight Simulators; Training Devices

54 MAN/SYSTEM TECHNOLOGY AND LIFE SUPPORT

Includes human factors engineering; bionics, man-machine, life support, space suits and protective clothing. For related information see also 16 Space Transportation and 52 Aerospace Medicine..

20000072480 National Inst. of Standards and Technology, (BFRL), Gaithersburg, MD USA

Estimates of Thermal Conductivity for Materials Used in Fire Fighters' Protective Clothing

Lawson, J. R.; Pinder, T. A.; May 2000; 30p; In English

Report No.(s): PB2000-105986; NISTIR-6512; No Copyright; Avail: CASI; A01, Microfiche; A03, Hardcopy

Fire fighters' protective clothing provides a limited amount of thermal protection from environmental exposures produced by fires. This level of thermal protection varies with the design, materials, construction, and fit of the protective garments. This report presents thermal conductivity data for nine materials used in fabricating fire fighters' protective clothing. These materials included outer shell fabrics, moisture barrier, thermal linear batting, and reflective trim. As a comparison, measurements were also made on a cotton duck fabric. The thermal conductivity of individual protective clothing materials was measured using the test procedure specified in ASTM C-518 Standard Test Method for Steady-State Thermal Transmission Properties by Means of Heat Flow Meter Apparatus (1). Measurements producing estimates of thermal conductivity for single layers of materials were carried out at mean heat temperatures of 20 deg C (68 deg F), 48 C (118 F), 55 deg C (131 F), and 72 C (162 F). No visible physical changes were observed with any of the materials tested at these temperatures. Thermal conductivity estimates for materials used in the construction of fire fighters' protective clothing ranged from 0.034 W/mK to 0.136 W/mK over the range of temperatures addressed in the study. Generally, thermal conductivity values increased for all materials as mean test temperatures were increased. NTIS

Estimates; Protective Clothing; Thermal Conductivity; Fire Fighting; Thermal Protection

20000072483 NASA Marshall Space Flight Center, Huntsville, AL USA

Living and Working in Space

Roman, Monserrate C., NASA Marshall Space Flight Center, USA; [2000]; 30p; In English; 2000 National Image, Inc., Training Conference and Convention, 6-11 Jun. 2000, Carolina, Puerto Rico; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

This document is a presentation about some of the challenges of living and working in space. The presentation shows slides of the Apollo 11 liftoff, Skylab in orbit, a Space Shuttle launch, and a slide of the International Space Station. It reviews the needs and effluents of the astronauts per day, and the Environmental Control and Life Support (ECLS) systems. It shows a flow diagram

of the Space Station Regenerative ECLS, which shows the various systems, and how they interact to control the environment and recycle the air, and water. There are other slides some of which show astronauts eating, brushing teeth, shaving, and sipping from a sip bottle while exercising.

CASI

Environmental Control; Life Support Systems; Water; Closed Ecological Systems; Oxygen Supply Equipment; Spacecraft Environments; Waste Management; Oxygen Production; Waste Disposal

20000072884 NASA Marshall Space Flight Center, Huntsville, AL USA

International Space Station Carbon Dioxide Removal Assembly Testing

Knox, James C., NASA Marshall Space Flight Center, USA; 2000; ISSN 0148-7191; 13p; In English; 30th; Environmental Systems, 10-13 Jul. 2000, Toulouse, France; Sponsored by Society of Automotive Engineers, Inc., USA

Report No.(s): 00ICES-234; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

Performance testing of the International Space Station Carbon Dioxide Removal Assembly flight hardware in the USA Laboratory during 1999 is described. The CDRA exceeded carbon dioxide performance specifications and operated flawlessly. Data from this test is presented.

Author

Carbon Dioxide Removal; International Space Station; Performance Tests; Decontamination; Closed Ecological Systems; Exobiology; Spacecraft Environments; Spacecraft Equipment

2000/074273 Naval Undersea Warfare Center, Newport, RI USA

Ultrasonic Disinfection of Water Suspensions of Escherichia Coli and Legionella Pneumophila

Evora, Victor F., Naval Undersea Warfare Center, USA; Kavarnos, George J., Thames Testing Lab., LLC, USA; Apr. 05, 1999; 18p; In English

Report No.(s): AD-A365444; TR-11.086; No Copyright; Avail: CASI; A01, Microfiche; A03, Hardcopy

This report describes an experiment in which water samples innoculated with Escherichia (E) coli and Legionella (L) Pneumophila organisms were exposed to ultrasonic energy. It visa found that treating t samples with pule" of ultrasound for at least 15 minutes at a 50% amplitude virtually eliminated the E. coli colonies. Longer exposure times were required to completely destroy L. pneumophila. Although the water samples experienced slight warming during the course of the ultrasonification, control experience on which the test samples were not exposed to ultrasound but simply warmed have supported the conclusion that the test organisms were destroyed by acoustic energy alone. The use of ultrasound as an applied and commercial technology for disinfecting water supplies in also discussed in the report. However, the mechanisms of cell destruction not yet fully understood, am left for the subject of a future publication.

Author

Antiseptics; Escherichia; Sound Waves; Ultrasonics; Antiinfectives and Antibacterials; Sterilization; Bactericides; Decontamination; Water Treatment

20000076818 Chief of Naval Development, Washington, DC USA

Joint Service Lightweight Integrated Suit Technology (JSLIST), Operational Requirements Document (ORD) Final Report

May 17, 2000; 32p; In English

Report No.(s): AD-A378165; ORD-556-86-00; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

During Operation Desert Storm (ODS), a major deficiency identified was the inability of U.S. forces to provide the warfighter with percutaneous protection against Nuclear, Biological, and Chemical (NBC) Warfare agents and Toxic Industrial Materials (TIMs). Current national military strategy specifies a worldwide force projection capability that requires U.S. forces to employ effective force protection measures against NBC threats. JSLIST will meet the Joint Chief's urgent need to enhance the survivability of U.S. forces. The JSLIST will provide the wearer with protection from the effects of NBC contaminants and TIMs in any form or state. The JSLIST will be an integrated ensemble consisting of a protective garment (with/without a hood), footwear and gloves; and be compatible with the protective mask currently in inventory and those in development.

Protective Clothing; Chemical Warfare; Military Operations; Chemical Defense

20000080036 Management Sciences, Inc., Albuquerque, NM USA
Web Rased Client/Server Interface for Part Task Training Final Report

Web Based Client/Server Interface for Part Task Training Final Report, Dec 1999-May 2000

Blemel, Peter A., Management Sciences, Inc., USA; Jun. 2000; 21p; In English

Contract(s)/Grant(s): N68335-00-C-0131

Report No.(s): AD-A378139; MS10007; NSWC-IHD-00001AF; No Copyright; Avail: CASI; A01, Microfiche; A03, Hardcopy This is the Phase I final report for a NAVAIR SBIR project to develop and commercialize web-based Collaborative Par Task Training (CPTT). The Navy has fielded many Part Task Trainers (PTT) that emulate a variety of aircrew Control Display Units (CDUs). These CDU Emulations (CDUEs) reflect unique Operational Flight Program (OFP) functionality for specific types of aircraft. The objective of each CDUE is to provide aircrew training using a man/machine interface that is representative of the aircraft. This project explored the potential of using the Internet to revolutionize the way the Navy provides part-task proficiency training. The project focused on developing concepts for ways to use the Internet to provide individual and cooperative Distance Part Task Training using virtual or real training equipment. The Phase I goal was to define a commercially viable multi-media virtual training environment for providing realistic training wherever and whenever needed.

Client Server Systems; World Wide Web; Man Machine Systems; Tasks; Training Devices

55 EXOBIOLOGY

Includes astrobiology; planetary biology; and extraterrestrial life. For the biological effects of aerospace environments on humans see 52 Aerospace medicine; on animals and plants see 51 Life Sciences. For psychological and behavioral effects of aerospace environments see 53 Behavioral Science.

2000073302 Jet Propulsion Lab., California Inst. of Tech., Pasadena, CA USA

Different Approaches for Ensuring Performance/Reliability of Plastic Encapsulated Microcircuits (PEMs) in Space Applications

Gerke, R. David, Jet Propulsion Lab., California Inst. of Tech., USA; Sandor, Mike, Jet Propulsion Lab., California Inst. of Tech., USA; Agarwal, Shri, Jet Propulsion Lab., California Inst. of Tech., USA; Moor, Andrew F., Jet Propulsion Lab., California Inst. of Tech., USA; Cooper, Kim A., Jet Propulsion Lab., California Inst. of Tech., USA; [1999]; 23p; In English; 1999 Interpack Conference, 17 Jun. 1999, USA; Sponsored by American Society of Mechanical Engineers, USA; No Copyright; Avail: CASI; A03, Hardcopy; A01, Microfiche

This paper presents viewgraphs on Plastic Encapsulated Microcircuits (PEMs). Different approaches are addressed to ensure good performance and reliability of PEMs. The topics include: 1) Mitigating Risk; and 2) Program results. CASI

Encapsulated Microcircuits; Technology Utilization; Plastics; Performance Tests; Reliability

Subject Term Index

Α

ACCELERATION TOLERANCE, 9
AEROBES, 1
AEROSPACE MEDICINE, 6, 8, 9
AGE FACTOR, 7, 11
AGING (BIOLOGY), 7
AIR NAVIGATION, 13
AIR TRAFFIC CONTROLLERS
(PERSONNEL), 11
AIRCRAFT PILOTS, 13
ANTARCTIC REGIONS, 12
ANTIINFECTIVES AND ANTIBACTERIALS, 14
ANTISEPTICS, 14
AVIATION PSYCHOLOGY, 13

В

BACTERIA, 1
BACTERICIDES, 14
BED REST, 3, 11
BIBLIOGRAPHIES, 8
BIOASTRONAUTICS, 8, 10
BIOFEEDBACK, 13
BIOLOGICAL EFFECTS, 8
BIOMETRICS, 9
BLOOD CELLS, 10
BLOOD CIRCULATION, 5, 10
BLOOD PLASMA, 5, 10
BLOOD VOLUME, 10
BODY FLUIDS, 3, 10
BODY TEMPERATURE, 2, 4, 5

C

CARBON DIOXIDE REMOVAL, 14
CARDIOVASCULAR SYSTEM, 4
CHEMICAL DEFENSE, 14
CHEMICAL WARFARE, 14
CITIES, 3
CLIENT SERVER SYSTEMS, 15
CLOSED ECOLOGICAL SYSTEMS, 14
COGNITION, 4
COMPUTER ASSISTED
INSTRUCTION, 13
COMPUTER PROGRAMS, 7
CONFERENCES, 4
CONTAMINATION, 6
CORONARY CIRCULATION, 6
COUNTERMEASURES, 5

D

DATA TRANSMISSION, 7 DECONDITIONING, 3 DECONTAMINATION, 14 DEHYDRATION, 3, 7 DOGS, 2 DOSAGE, 6 DRINKING, 7, 11

E

EDUCATION, 3
ELECTROENCEPHALOGRAPHY, 7
EMPLOYEE RELATIONS, 11
ENCAPSULATED MICROCIRCUITS, 15
ENDOCRINE SYSTEMS, 5
ENDOSCOPES, 6
ENVIRONMENTAL CONTROL, 14
EPIDEMIOLOGY, 8
ERYTHROCYTES, 10
ESCHERICHIA, 14
ESTIMATES, 13
EXOBIOLOGY, 8, 14
EXPOSURE, 3

F

FATIGUE (BIOLOGY), 1, 4
FATIGUE LIFE, 7
FEMALES, 10
FIBER OPTICS, 6
FIRE FIGHTING, 13
FLIGHT CREWS, 9
FLIGHT SIMULATION, 9
FLIGHT SIMULATORS, 13
FORESTS, 3
FREE RADICALS, 8
FROSTBITE, 8

G

GERONTOLOGY, 7 GLUCOSE, 2

Н

HEAD DOWN TILT, 11 HEAD MOVEMENT, 12 HEAD UP TILT, 10 HEALTH PHYSICS, 3 HEAT ACCLIMATIZATION, 3, 4, 5 HEAT TOLERANCE, 4, 5 HELICOPTERS, 9 HEMATOCRIT, 10 HEMATOPOIETIC SYSTEM, 10 HEMODYNAMIC RESPONSES, 10, 11 HIGH ALTITUDE, 10 HIGH TEMPERATURE ENVIRON-**MENTS**, 4, 5 **HUMAN BEINGS**, 4 **HUMAN PERFORMANCE, 1, 12 HUMAN REACTIONS, 9, 12 HUMAN RELATIONS, 11, 12 HUMAN TOLERANCES, 8, 9** HYPERTHERMIA, 2 HYPERVOLEMIA, 11 HYPOKINESIA, 5 HYPOTHERMIA, 8

I

IMAGE MOTION COMPENSATION, 12 IMAGING TECHNIQUES, 6 IMMUNE SYSTEMS, 5 IN–FLIGHT MONITORING, 5 INDEXES (DOCUMENTATION), 8 INJURIES, 8 INTERFEROMETERS, 7 INTERNATIONAL SPACE STATION,

ı

LIFE SUPPORT SYSTEMS, 14

М

MALES, 3, 10, 11
MAN MACHINE SYSTEMS, 15
MEASURING INSTRUMENTS, 5
MENTAL PERFORMANCE, 4
MICROGRAVITY, 5
MICROORGANISMS, 1
MILITARY OPERATIONS, 14
MUSCULOSKELETAL SYSTEM, 8

Ν

NICOTINE, 4

0

OPTICAL DATA PROCESSING, 7 ORGANIZATIONS, 11 ORTHOSTATIC TOLERANCE, 3 OSMOSIS, 11 OXYGEN PRODUCTION, 14 OXYGEN SUPPLY EQUIPMENT, 14

P

PATHOLOGY, 4 PERFORMANCE PREDICTION, 12 PERFORMANCE TESTS, 14, 15 PERSONALITY, 12 PERSONNEL, 12 PERSONNEL MANAGEMENT, 11 PHARMACOLOGY, 8 PHYSICAL EXERCISE, 2, 3, 4, 5, 11 PHYSICAL FITNESS, 4, 5, 8 PHYSIOLOGICAL EFFECTS, 4, 5, 8, 9 PHYSIOLOGICAL RESPONSES, 4, 5 PHYSIOLOGY, 3, 4 PILOT TRAINING, 13 PLASTICS, 15 PROTECTIVE CLOTHING, 13, 14 PSYCHOLOGICAL EFFECTS, 12 PSYCHOLOGY, 12

Q

QUALITY CONTROL, 2

R

RADIATION DETECTORS, 6 REAL TIME OPERATION, 7 RELIABILITY, 15 RETINAL IMAGES, 12

S

SAFETY, 1 SEX FACTOR, 10 SHIPS, 7 SKIN (ANATOMY), 4 SLEEP, 3 SLEEP DEPRIVATION, 7 SODIUM CHLORIDES, 2 SOFTWARE DEVELOPMENT TOOLS, 6
SOUND WAVES, 14
SPACECRAFT ENVIRONMENTS, 14
SPACECRAFT EQUIPMENT, 14
STERILIZATION, 14
STRESS (PHYSIOLOGY), 1
SURGERY, 10
SWEAT, 5

T

TASKS, 15
TECHNOLOGY UTILIZATION, 15
THERAPY, 2
THERMAL CONDUCTIVITY, 13
THERMAL PROTECTION, 13
THERMOREGULATION, 2, 4, 5
TRAINING DEVICES, 13, 15

U

ULTRASONICS, 14 ULTRAVIOLET RADIATION, 2, 3 ULTRAVIOLET SPECTROSCOPY, 1 URANIUM, 1 URANIUM ISOTOPES, 1

V

VERY LONG BASE INTERFER-OMETRY, 7 VIRTUAL REALITY, 13 VISION, 10 VISUAL SIGNALS, 12

W

WASTE DISPOSAL, 14
WASTE MANAGEMENT, 14
WATER, 14
WATER LOSS, 7
WATER TREATMENT, 14
WEIGHTLESSNESS, 9
WORLD WIDE WEB, 15

Personal Author Index

Α

Agarwal, Shri, 15 Almeida, Sandra A., 7

В

Bailey, Lawrence L., 11 Barnes, P. R., 10 Battisti, P., 5, 6 Bernauer, E. M., 11 Blemel, Peter A., 14 Boulant, Catherine G., 4 Brodine, Stephanie K., 7

C

Castellani, C. M., 5, 6 Cooper, Kim A., 15

D

Dahms, T. E., 10 Danzl, D. F., 8

Ε

Erti, A. C., 10, 11 Evora, Victor F., 14

F

Fung, P. P., 10

G

Gerke, R. David, 15 Grant, R. H., 3 Greenleaf, J. E., 2, 10, 11 Greenleaf, J. F., 10 Greenleaf, John E., 2, 3, 5, 7 Grover, R. F., 10 Gunderson, E.K. Eric, 12

Н

Heisler, G. M., 3 Hinghofer–Szalkay, H. G., 10 Holland, A. W., 12 Huurto, L., 2

ı

Iaizzo, P. A., 8 Ito, Tomoyuki, 2 Itoh, Toshiyuki, 2

J

Jackson, C. G. R., 10 Jackson, Catherine G. R., 5 Jackson, Deborah, 6 Johnson, Jeffrey C., 12 Jokela, K., 2

K

Kaciuba–Usciko, H., 2 Kavarnos, George J., 14 Kawaguchi, Noriyuki, 6 Kawai, Eiji, 6 Kesick, Christina M., 4 Kimura, Moritaka, 6 Kiuchi, Hitoshi, 6 Knox, James C., 14 Kondo, Tetsuro, 6 Koyama, Yasuhiro, 6 Kruk, B., 2

L

Lau, Tony, 4 Lawson, J. R., 13 Leszczynski, K., 2 Lewis, Matthew R., 1 Looft–Wilson, R., 10

М

Maegawa, Yasuyo, 2 Mair, Brent S., 4 Makeig, Scott, 7 McCullough, R. G., 10 McLean, Timothy D., 12 Miller, Christopher, 12 Mills, W J., 8 Montgomery, Ronald W., 9 Moor, Andrew F., 15 Morimoto, Taketoshi, 2

Ν

Nakagawara, Van B., 9 Nakajima, Junichi, 6 Nazar, K., 2 Neri, David F., 7

0

Okubo, Hiroshi, 6

P

Palinkas, Lawrence A., 12 Pinder, T. A., 13 Pozos, R. S., 8

R

Reeves, J. T., 10 Roman, Monserrate C., 13

S

Sandor, Mike, 15 Seiland, M., 10 Sekido, Mamoru, 6 Shaffer, Richard S., 7 Shender, Barry S., 9 Staab, Janet, 4 Stephenson, Lou A., 4

T

Takahashi, Yukio, 6 Takamata, Akira, 2 Takamiya, Hisatake, 2 Tarroni, G., 5, 6 Thompson, Richard C., 11 Tipton, Charles M., 5

U

Uenking, M., 13

٧

Visuri, R., 2

W

Wei, J., 9 Wenger, C. B., 4 Wertheim, A. H., 11 Williams, Karen M., 7 Wisherd, J. L., 10 Wolfel, E., 10 Wong, L. G., 10

Υ

Yaegashi, Kazuhiro, 2 Ylianttila, L., 2

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank	, , ,				TYPE AND DATES COVERED Publication		
4. TITLE AND SUBTITLE Aerospace Medicine and Biology A Continuing Bibliography (Supplement 503)						NG NUMBERS	
6. AUTHOR(S)							
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) NASA Scientific and Technical Information Program Office						8. PERFORMING ORGANIZATION REPORT NUMBER NASA/SP-2000-7011/Suppl503	
9. sponsoring/Monitoring Age National Aeronautics and Langley Research Cente Hampton, VA 23681		10. SPONSORING/MONITORING AGENCY REPORT NUMBER					
11. SUPPLEMENTARY NOTES							
12a. DISTRIBUTION/AVAILABILITY STATEMENT Subject Category: Distribution: Availability: NASA CASI (301) 621-0390					12ь. DISTRIBUTION CODE UnclassifiedUnlimited Subject Category - 52		
13. ABSTRACT (Maximum 200 words, This report lists reports, Database.	•	nd other docume	ents rece	ntly annound	ced in th		
14. SUBJECT TERMS Aerospace Medicine						15. NUMBER OF PAGES 36	
Bibliographies Biological Effects						16. PRICE CODE A03	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURIT OF THIS Unclas			JRITY CLASSIFIC BSTRACT	CATION	20. LIMITATION OF ABSTRACT	